



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS RECIPROCATING SAW GSA 18V-LI

SKU: 3165140861601

Cordless Reciprocating Saw GSA 18V-LI

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Saws](#)

Product Features: Stroke rate in 1st gear: 2.400 spm
Stroke rate in 2nd gear: 2.700 spm
Stroke rate (1st gear / 2nd gear): 2,400 - 2,700 spm
Packaging dimensions (width): 355 mm
Packaging dimensions (length): 443 mm
Packaging dimensions (height): 260 mm
Packaging dimensions (width x length x height): 355 x 443 x 260 mm
Battery capacity: 5,0 Ah
Battery voltage: 18.0 V
Weight incl. battery: 3,4 kg
Cutting depth in wood: 250 mm
Cutting depth in metal profiles and metal pipes: 130 mm
Stroke length in 1st gear: 28 mm
Stroke lengths: 28 mm
Weight excl. battery: 2,9 kg
Stroke rate, from: 0 spm
Stroke rate, up to: 2.700 spm
Stroke rate: 0 - 2,700 spm
Vibration emission value ah [Sawing wood]: 20,0 m/s²
Uncertainty K [Sawing wood]: 2,5 m/s²
Product category subdivision: Cordless Reciprocating Saw
Positioning: 18V-reciprocating saw with strong cutting performance and long runtime
User benefit incl. Reason to believe: Battery's long runtime enables over 100 cuts into spruce beams of up to 100 x 100 mm for



fast work progress

User benefit incl. Reason to believe:

Electronic Motor Protection provides a long lifetime

User benefit incl. Reason to believe: Tool-free

Bosch SDS system makes changing saw blades fast and easy

Positioning (BE): Best-in-class cutting performance

User benefit incl. Reason to believe (BE): Cut over 100 spruce beams (100 x 100 mm) to length with only one battery charge

User benefit incl. Reason to believe (BE): Electronic Motor Protection (EMP) protects the motor against overload and ensures a long lifetime

User benefit incl. Reason to believe (BE): Easy handling: Easy and fast saw blade changes due to SDS mechanism

Areas of application: Sawing concrete

Areas of application: Sawing ferrous metals

Areas of application: Sawing wood

Areas of application: Sawing synthetic material

Areas of application: Sawing natural materials

Areas of application: Sawing non-ferrous metal

Areas of application: Sawing stone

Title: Cordless Reciprocating Saw GSA 18V-LI Professional

Novelty: no

Scope of supply: Quick charger GAL 1880 CV (1 600 A00 B8G)

Scope of supply: L-BOXX 238 (1 600 A01 2G2)

Scope of supply: 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416)

Scope of supply: 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403)

Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A00 2UZ, 1 600 A00 2VF)

Scope of supply: 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)

SOL Date: 01.03.2017



Scope of delivery:

1 ST Cordless Reciprocating Saw GSA 18V-LI |

PRODUCT DESCRIPTION

Cordless Reciprocating Saw GSA 18V-LI, The GSA 18 V-LI Professional cordless reciprocating saw offers strong cutting performance and long runtimes. Its 18 V battery enables over 100 cuts into spruce beams of up to 100 x 100 mm in one charge, ensuring fast work progress. Equipped with Electronic Motor Protection, this reciprocating saw combines high endurance and a long lifetime. Its tool-free Bosch SDS system makes changing saw blades fast and easy. The GSA 18 V-LI Professional is intended for sawing wood, metal, and plastic, as well as wood composites and insulation materials. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GSA 18 V-LI Professional is intended for sawing wood, metal, and plastic, as well as wood composites and insulation materials. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). Quick charger GAL 1880 CV (1 600 A00 B8G); L-BOXX 238 (1 600 A01 2G2); 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416); 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403); 1/1 L-BOXX inlay for tool and charger (1 600 A00 2UZ, 1 600 A00 2VF); 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)

Article ID: 060164J00B

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.