Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS RECIPROCATING SAW GSA 18V-LI C

SKU: 3165140862301

Cordless Reciprocating Saw GSA 18V-LI C

Categories: Battery-powered tools, BOSCH professional, Saws

Product Features: Stroke rate in 1st gear: 0 spm
Stroke rate in 2nd gear: 3.050 spm
Stroke rate (1st gear / 2nd gear): 0 - 3,050 spm
Packaging dimensions (width): 360 mm
Packaging dimensions (length): 440 mm
Packaging dimensions (height): 155 mm
Packaging dimensions (width x length x height): 360 x 440 x 155 mm
Battery capacity: 5,0 Ah
Battery voltage: 18.0 V
Weight incl. battery: 2,5 kg
Cutting depth in wood: 200 mm
Cutting depth in metal profiles and metal pipes: 100 mm
Stroke length in 1st gear: 21 mm
Stroke lengths: 21 mm
Weight excl. battery: 2 kg
Vibration emission value ah [Sawing wood]: 8,0 m/s²
Uncertainty K [Sawing wood]: 1,5 m/s²
Product category subdivision: Cordless Reciprocating Saw
Positioning: Compact 18V-reciprocating saw with low vibration
User benefit incl. Reason to believe: Handy design and reduction of vibrations for smoother operation
User benefit incl. Reason to believe: Strong motor enables fast progress when sawing
User benefit incl. Reason to believe: Tool-free

Copyright © 2023 Actik Tools All rights reserved

Bosch SDS system makes changing saw blades fast and easy
Positioning (BE): Compact powerhouse with low vibration
User benefit incl. Reason to believe (BE): Compact design for versatile - also one-handed - and overhead use
User benefit incl. Reason to believe (BE): Lowest vibration levels ensure comfortable use
User benefit incl. Reason to believe (BE): A fast sawing rate and long runtime thanks to powerful motor and high-endurance batteries
Areas of application: Sawing concrete
Areas of application: Sawing ferrous metals
Areas of application: Sawing wood
Areas of application: Sawing synthetic material
Areas of application: Sawing natural materials
Areas of application: Sawing non-ferrous metal
Areas of application: Sawing stone
Title: Cordless Reciprocating Saw GSA 18V-LI C Professional
Novelty: no
Scope of supply: Quick charger GAL 1880 CV (1 600 A00 B8G)
Scope of supply: Inlay for L-BOXX 136
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: 1 x reciprocating saw blade S 922 AF, Flexible for Metal (available separately as set of 2: 2 608 656 036)
Scope of supply: 1 x reciprocating saw blade S 922 EF, Flexible for Metal (available separately as set of 2: 2 608 656 038)
Scope of supply: 1 x reciprocating saw blade S 922 HF, Flexible for Wood + Metal (available separately as set of 2: 2 608 656 039)
Scope of supply: 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)
SOL Date: 01.03.2017

Scope of delivery:
1 ST Cordless Reciprocating Saw GSA 18V-LI C
|

Copyright © 2023 Actik Tools All rights reserved

PRODUCT DESCRIPTION

Cordless Reciprocating Saw GSA 18V-LI C, The extremely compact GSA 18 V-LI C Professional cordless reciprocating saw ensures low-vibration for comfortable operation. Equipped with a strong motor, this 18V-reciprocating saw allows for a fast work progress. Its tool-free Bosch SDS system makes changing saw blades fast and easy. The GSA 18 V-LI C Professional is ideal for sawing wood, metal, and plastic as well as wood composites and insulation materials. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GSA 18 V-LI C Professional also features an LED light and variable speed. Quick charger GAL 1880 CV (1 600 A00 B8G); Inlay for L-BOXX 136; L-BOXX 136 (1 600 A01 2G0); 1 x reciprocating saw blade S 922 AF, Flexible for Metal (available separately as set of 2: 2 608 656 036); 1 x reciprocating saw blade S 922 EF, Flexible for Metal (available separately as set of 2: 2 608 656 038); 1 x reciprocating saw blade S 922 HF, Flexible for Wood + Metal (available separately as set of 2: 2 608 656 039); 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)

Article ID: 06016A5002

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved