



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS ROTARY HAMMER UNEO

**SKU:** 3165140877565

Cordless Rotary Hammer Uneo

**Categories:** [Battery-powered tools](#), [BOSCH](#)  
[Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Battery compatibility: 12V  
POWER FOR ALL

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 280 rpm

No-load speed, 2nd gear, up to: 900 rpm

No-load speed (1st gear / 2nd gear): 0 - 280 /  
900 rpm

Impact rate, from: 0 bpm

Impact rate, up to: 4.800 bpm

Impact rate: 0 - 4,800 bpm

Single impact force (EPTA): 0,5 J

Bosch hammer mechanism: pneumatic

Max. drilling diameter in concrete: 10 mm

Max. drilling diameter in steel: 8 mm

Max. drilling diameter in wood: 10 mm

Weight: 1,3 kg

10.8 Volt: no

12 volt: yes

14.4 Volt: no

18 Volt: no

Lithium-ion technology: yes

Pneumatic hammer mechanism: yes

Bosch Electronic Cell Protection (ECP): yes

SDS quick drill bit holder: yes

Application: screwdriving / drill. / hammer  
drill.: yes

Integrated work light: no

Softgrip: yes

Bosch Electronic: yes

Integrated battery: no

Vibration emission value ah [Hammer drilling  
in concrete]: 13,0 m/s<sup>2</sup>



Uncertainty K [Hammer drilling in concrete]:

2,5 m/s<sup>2</sup>

Vibration emission value ah [Drilling in metal]: 2,5 m/s<sup>2</sup>

Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>

Vibration emission value ah [Screwdriving]: 2,5 m/s<sup>2</sup>

Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>

Battery voltage: 12 V

Battery recommendation:  $\geq 1.5$  Ah

Battery capacity: 2,0 Ah

Max. num. of dr. holes per batt. charge (concrete): 38

Max. num. of dr. holes per batt. charge (softwood): 90

Max. number of screws per battery charge: 110

Tool dimensions (L x W x H): 113 x 386 x 291 mm

Packaging dimensions (length): 113 mm

Packaging dimensions (width): 386 mm

Packaging dimensions (height): 291 mm

Packaging dimensions (L x W x H): 113 x 386 x 291 mm

Product short description: The versatile cordless 3-in-1 tool for drilling, hammering, and screwdriving

TOP product characteristics: Pneumatic hammer mechanism for easy and fast drilling even in concrete

TOP product characteristics: SDS-System chuck for intuitive and easy 3-seconds-fast accessory changes

TOP product characteristics: Two-speed gearbox provides higher speed or torque depending on application

TOP product characteristics: Hammer, drill, and screwdrive in concrete, masonry, tile, wood, and metal

TOP product characteristics: POWER FOR ALL: One battery and charger for an entire Home & Garden tools system

Product category subdivision: Cordless Rotary Hammer

Title: Cordless Rotary Hammer Uneo

Scope of supply: 2 x battery PBA 12V 2.0Ah

Scope of supply: Charger GAL 12V-20

Scope of supply: Concrete drill bit, 6 and 8



mm diameter  
Scope of supply: Universal drill bit, 5 and 6  
mm diameter  
Scope of supply: 4 long bits  
Scope of supply: Round-shank adapter  
Scope of supply: Carrying Case  
SOL Date: 27.02.2017  
Novelty: no  
Novelty until: 27.08.2017

Scope of delivery:  
1 ST Cordless Rotary Hammer Uneo |

## PRODUCT DESCRIPTION

Cordless Rotary Hammer Uneo, The versatile cordless 3-in-1 tool for drilling, hammering, and screwdriving, Pneumatic hammer mechanism for easy and fast drilling even in concrete, SDS-System chuck for intuitive and easy 3-seconds-fast accessory changes, Two-speed gearbox provides higher speed or torque depending on application, Hammer, drill, and screwdrive in concrete, masonry, tile, wood, and metal, POWER FOR ALL: One battery and charger for an entire Home & Garden tools system, 2 x battery PBA 12V 2.0Ah, Charger GAL 12V-20, Concrete drill bit, 6 and 8 mm diameter, Universal drill bit, 5 and 6 mm diameter, 4 long bits, Round-shank adapter, Carrying Case

Article ID: 060398400E

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.