



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS ROTARY HAMMER WITH SDS PLUS GBH 18V-21

**SKU:** 4059952528090

Cordless Rotary Hammer with SDS plus GBH 18V-21

---

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Drill & percussion hammers](#)

**Product Features:** Tool dimensions (length):

325 mm

Packaging dimensions (width): 220 mm

Packaging dimensions (length): 350 mm

Packaging dimensions (height): 110 mm

Packaging dimensions (width x length x height): 220 x 350 x 110 mm

Battery voltage: 18.0 V

Impact energy (according to EPTA 05/2016): 2 J

Impact rate at rated speed, from: 0 bpm

Impact rate at rated speed, up to: 5.100 bpm

Impact rate at rated speed: 0 - 5,100 bpm

Rated speed, from: 0 rpm

Rated speed, up to: 1.800 rpm

Rated speed: 0 - 1,800 rpm

Weight excl. battery: 2,4 kg

Tool holder: SDS plus

Drilling dia. in concrete with ham. dr. bits, from: 4 mm

Drilling dia. in concrete with ham. dr. bits, to: 21 mm

Drilling dia. in concrete with hammer drill bits: 4 - 21 mm

Rec. app. range in concr. with ham. dr. bits, from: 6 mm

Rec. app. range in concr. with hammer dr. bits, to: 10 mm

Opt. app. range in concrete with hammer drill bits: 6 - 10 mm

Max. drilling diameter in metal: 13 mm



Max. drilling diameter in wood: 30 mm  
Vibration emission value ah [Hammer drilling in concrete]: 10,0 m/s<sup>2</sup>  
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Chiselling in concrete]: 7,0 m/s<sup>2</sup>  
Uncertainty K [Chiselling in concrete]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Rotary Hammer with SDS plus  
Positioning: Bosch quality within reach - cordless comfort and brushless power  
User benefit incl. Reason to believe: Powerful impact system with 2.0 J; three modes (drilling, hammer drilling, chiselling) ensure versatile use  
User benefit incl. Reason to believe: Brushless motor reduces the need for maintenance and improves runtime per battery charge, less downtime and increased longevity  
User benefit incl. Reason to believe: Good power-to-weight ratio with only 2.4 kg in weight; even capable enough for light chiselling applications  
Positioning (BE): Powerful cordless rotary hammer within reach - brushless motor for a lasting performance  
User benefit incl. Reason to believe (BE): Powerful impact system with 2.0 J, 3 mode hammer for versatile usage  
User benefit incl. Reason to believe (BE): Reduced maintenance due to brushless motor and increased runtime per battery charge  
User benefit incl. Reason to believe (BE): No sparks and less heat generation during use thanks to brushless motor  
Title: Cordless Rotary Hammer with SDS plus GBH 18V-21 Professional  
Novelty: no  
Scope of supply: Depth stop (spare part number 1 613 001 009)  
Scope of supply: Machine cloth (spare part number 1 619 200 413)  
Scope of supply: Cardboard box  
SOL Date: 01.04.2020



Scope of delivery:  
1 ST Cordless Rotary Hammer with SDS plus  
GBH 18V-21 |

## PRODUCT DESCRIPTION

Cordless Rotary Hammer with SDS plus GBH 18V-21, The GBH 18V-21 Professional cordless rotary hammer provides lasting performance with 2.0 J impact energy and a brushless motor. The tools highly efficient brushless motor reduces the need for maintenance and improves the runtime per battery charge, which results in less downtime and increased tool longevity. It features three-mode operation for hammer drilling, drilling and chiselling to ensure high versatility. Lasting performance for drilling many holes and 20% longer battery runtime than predecessor. Fully compatible with the GDE 16 plus dust attachment The GBH 18V-21 Professional comes with LED light, Rotation Control Clutch, Variable Speed, and Vario-Lock. Depth stop (spare part number 1 613 001 009); Machine cloth (spare part number 1 619 200 413); Cardboard box

Article ID: 0611911100

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.