



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS ROTARY HAMMER WITH SDS PLUS GBH 18V-26F

SKU: 3165140903547

Cordless Rotary Hammer with SDS plus GBH  
18V-26F

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Drill & percussion hammers](#)

**Product Features:** Tool dimensions (length):  
364 mm

Packaging dimensions (width): 360 mm

Packaging dimensions (length): 445 mm

Packaging dimensions (height): 155 mm

Packaging dimensions (width x length x  
height): 360 x 445 x 155 mm

Battery capacity: 5,0 Ah

Battery voltage: 18.0 V

Weight incl. battery: 3,6 kg

Impact energy (according to EPTA 05/2016):  
2,6 J

Impact rate at rated speed, from: 0 bpm

Impact rate at rated speed, up to: 4.350 bpm

Impact rate at rated speed: 0 - 4,350 bpm

Rated speed, from: 0 rpm

Rated speed, up to: 980 rpm

Rated speed: 0 - 980 rpm

Tool holder: SDS plus

Drilling dia. in concrete with ham. dr. bits,  
from: 4 mm

Drilling dia. in concrete with ham. dr. bits, to:  
26 mm

Drilling dia. in concrete with hammer drill  
bits: 4 - 26 mm

Rec. app. range in concr. with ham. dr. bits,  
from: 8 mm

Rec. app. range in concr. with hammer dr.  
bits, to: 16 mm

Opt. app. range in concrete with hammer drill  
bits: 8 - 16 mm



Max. drilling diameter in metal: 13 mm  
Max. drilling diameter in wood: 30 mm  
Vibration emission value  $a_h$  [Hammer drilling in concrete]: 15,2 m/s<sup>2</sup>  
Uncertainty K [Hammer drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value  $a_h$  [Chiselling in concrete]: 9,6 m/s<sup>2</sup>  
Uncertainty K [Chiselling in concrete]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Rotary Hammer with SDS plus  
Positioning: Universal rotary hammer with quick-change chuck in the SDS plus cordless category  
User benefit incl. Reason to believe: Optional GDE 18V-16 Professional dust extraction unit integrates with the hammer for a self-contained HEPA dust solution  
User benefit incl. Reason to believe: KickBack Control and Electronic Precision Control for better tool handling and increased user protection  
User benefit incl. Reason to believe: Delivers 2.6 J of impact energy for fast drilling and high chisel removal performance  
Positioning (BE): More power, more comfort and less dust  
User benefit incl. Reason to believe (BE): 50% more power with the impact force of a corded tool for fast, versatile use (compared to predecessor GBH 18 V-EC)  
User benefit incl. Reason to believe (BE): Increased user protection with KickBack Control (KBC) and better control with Electronic Precision Control (EPC)  
User benefit incl. Reason to believe (BE): Drill without dust thanks to the new integrated, optional GDE 18V-16 dust extraction system  
Areas of application: Drilling in concrete  
Areas of application: Drilling in ferrous metals  
Areas of application: Drilling in wood  
Areas of application: Drilling in synthetic material  
Areas of application: Drilling in stone  
Areas of application: Chiselling in concrete  
Areas of application: Chiselling in wood  
Areas of application: Chiselling in stone



Title: Cordless Rotary Hammer with SDS plus GBH 18V-26F Professional

Novelty: no

Novelty until: 01.07.2017

Scope of supply: Auxiliary handle (2 602 025 141)

Scope of supply: Depth stop 210 mm (1 613 001 010)

Scope of supply: Quick charger GAL 1880 CV (1 600 A00 B8G)

Scope of supply: Machine cloth

Scope of supply: Quick change chuck 13 mm (2 608 572 212)

Scope of supply: SDS plus quick-change chuck (2 608 572 213)

Scope of supply: 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A00 HP1)

SOL Date: 06.03.2017

Scope of delivery:

1 ST Cordless Rotary Hammer with SDS plus GBH 18V-26F |

## PRODUCT DESCRIPTION

Cordless Rotary Hammer with SDS plus GBH 18V-26F, The GBH 18V-26 F Professional with quick-change chuck is the universal performer in Bosch's SDS plus cordless rotary hammer category, making it perfect for daily use. An optional GDE 18V-16 Professional dust extraction unit integrates with the hammer, providing a self-contained HEPA dust solution for maximum mobility. The rotary hammer also features KickBack Control and Electronic Precision Control (EPC) for better tool handling and increased user protection. Its powerful motor delivers 2.6 J of impact energy for fast material removal rates. This tool is intended for drilling and chiselling in concrete, masonry, wood, and metal. It is compatible with various dust attachments as well as all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GBH 18V-26 F Professional also includes various additional features such as Constant Speed, a Brushless Motor, Electronic Motor Protection (EMP), as well as an LED light, Rotation Control Clutch, Variable Speed, Vario Lock, and Vibration Control. Auxiliary handle (2 602 025 141); Depth stop 210 mm (1 613 001 010); Quick charger GAL 1880 CV (1 600 A00 B8G); Machine cloth; Quick change chuck 13 mm (2 608 572 212); SDS plus quick-change chuck (2 608 572 213); 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5); L-BOXX 136 (1 600 A01 2G0); 1/1 L-BOXX inlay for tool (1 600 A00 HP1)

Article ID: 0611910007

## PRODUCT DATASHEET LEGAL NOTE



Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.