Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI ADVANCEDIMPACT 18

SKU: 4053423224757

Cordless Two-speed Combi AdvancedImpact 18

Categories: Battery-powered tools, BOSCH Power tools DIY and gardening, Drills and screwdrivers

Product Features: Battery compatibility: 18V POWER FOR ALL ALLIANCE
Battery capacity: 2,5 Ah
No-load speed, 1st gear, from: 0 rpm
No-load speed, 1st gear, up to: 450 rpm
No-load speed, 2nd gear, up to: 1.500 rpm
No-load speed (1st gear / 2nd gear): 0 - 450 / 1,500 rpm
Max. torque: 36,0 Nm
Max. torque for soft/hard screw. applicat., from: 22 Nm
Max. torque for soft/hard screw. applications, to: 36 Nm
Max. torque for soft/hard screw. applications: 22 / 36 Nm
Torque settings (amount): 20
Torque settings: 20
Max. impact rate: 22.500 bpm
Drill chuck: 13-mm keyless chuck
Screw diameter up to: 10 mm
Drilling diameter in steel: 13 mm
Drilling diameter in wood: 35 mm
Drilling diameter in masonry: 11 mm
Machine weight with battery: 1,10 kg
7.2 Volt: no
9.6 Volt: no
10.8 Volt: no
12 Volt: no
14.4 Volt: no
18 Volt: yes

Copyright © 2023 Actik Tools All rights reserved

Lithium-ion technology: yes
Bosch Electronic Cell Protection (ECP): yes
Bosch Auto-Lock: no
2-speed gearbox: yes
Application: screwdriving / drilling: no
Application: screwdriving / drill. / impact drill.: yes
Softgrip: yes
Integrated work light: yes
Bosch Electronic: no
Right-hand/left-hand rotation: no
Charge level indicator: yes
Forward/reverse indicator: yes
Integrated battery: no
Vibration emission value ah [Drilling in metal]: 0,0 m/s²
Uncertainty K [Drilling in metal]: 1,5 m/s²
Vibration emission value ah [Impact drilling in concrete]: 19,0 m/s²
Uncertainty K [Impact drilling in concrete]: 1,5 m/s²
Vibration emission value ah [Screwdriving]: 0,0 m/s²
Uncertainty K [Screwdriving]: 1,5 m/s²
Battery voltage: 18 V
Battery recommendation: >= 1.5 Ah
Tool dimensions (L x W x H): 386 x 341 x 102 mm
Packaging dimensions (length): 386 mm
Packaging dimensions (width): 341 mm
Packaging dimensions (height): 102 mm
Packaging dimensions (L x W x H): 386 x 341 x 102 mm
Product short description: Incredibly simple-to-use impact drill driver offers extensive versatility
TOP product characteristics: Intuitive selection modes and automatic gear changes match each application
TOP product characteristics: Switch system provides one-click direction change with an indicator LED light
TOP product characteristics: QuickSnap angle and eccenter attachments are excellent problem-solvers for hard-to-reach areas
TOP product characteristics: Powerful, compact and enduring thanks to brushless motor

Copyright © 2023 Actik Tools All rights reserved

TOP product characteristics: Screwdriving; drilling in wood and metal; impact drilling in brick and limestone
TOP product characteristics: POWER FOR ALL: One battery for an entire Home & Garden tools system
TOP product characteristics: Syneon Technology regulates energy use for optimal efficiency and longer runtime
Product category subdivision: Cordless Two-speed Combi
Usage level: Advanced
Title: Cordless Two-speed Combi AdvancedImpact 18
Scope of supply: 2 x battery PBA 18V 2.5Ah
Scope of supply: Angle adapter
Scope of supply: Off-set angle adapter
Scope of supply: Charger AL 1830 CV
Scope of supply: Carrying case
SOL Date: 01.09.2020
Novelty: no

Scope of delivery:
1 ST Cordless Two-speed Combi AdvancedImpact 18 |

PRODUCT DESCRIPTION

Cordless Two-speed Combi AdvancedImpact 18, Incredibly simple-to-use impact drill driver offers extensive versatility, Intuitive selection modes and automatic gear changes match each application, Switch system provides one-click direction change with an indicator LED light, QuickSnap angle and eccenter attachments are excellent problem-solvers for hard-to-reach areas, Powerful, compact and enduring thanks to brushless motor, Screwdriving; drilling in wood and metal; impact drilling in brick and limestone, POWER FOR ALL: One battery for an entire Home & Garden tools system, Syneon Technology regulates energy use for optimal efficiency and longer runtime, 2 x battery PBA 18V 2.5Ah, Angle adapter, Off-set angle adapter, Charger AL 1830 CV, Carrying case

Article ID: 06039B510B

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved