



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI EASYIMPACT 12

SKU: 4053423224832

Cordless Two-speed Combi EasyImpact 12

**Categories:** [Battery-powered tools](#), [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Battery compatibility: 12V  
POWER FOR ALL

Battery capacity: 2,0 Ah

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 400 rpm

No-load speed, 2nd gear, up to: 1.300 rpm

No-load speed (1st gear / 2nd gear): 0 - 400 /  
1,300 rpm

Max. torque: 30,0 Nm

Torque settings (amount): 12

Torque settings: 12

Max. impact rate: 19.500 bpm

Drill chuck: 10-mm keyless chuck

Screw diameter up to: 6 mm

Drilling diameter in steel: 8 mm

Drilling diameter in wood: 20 mm

Drilling diameter in masonry: 6 mm

Machine weight with battery: 1,00 kg

7.2 Volt: no

9.6 Volt: no

10.8 Volt: no

12 Volt: yes

14.4 Volt: no

18 Volt: no

Lithium-ion technology: yes

Bosch Electronic Cell Protection (ECP): no

Bosch Auto-Lock: yes

2-speed gearbox: yes

Application: screwdriving / drilling: no

Application: screwdriving / drill. / impact drill.:  
yes



Softgrip: yes  
Integrated work light: yes  
Bosch Electronic: no  
Right-hand/left-hand rotation: yes  
Charge level indicator: yes  
Forward/reverse indicator: yes  
Integrated battery: no  
Vibration emission value ah [Drilling in metal]: 2,5 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Impact drilling in concrete]: 19,0 m/s<sup>2</sup>  
Uncertainty K [Impact drilling in concrete]: 1,5 m/s<sup>2</sup>  
Battery voltage: 12 V  
Battery recommendation: >= 1.5 Ah  
Tool dimensions (L x W x H): 230 x 230 x 100 mm  
Packaging dimensions (length): 232 mm  
Packaging dimensions (width): 232 mm  
Packaging dimensions (height): 97 mm  
Packaging dimensions (L x W x H): 232 x 232 x 97 mm  
Product short description: Incredibly simple-to-use cordless drill offers exceptional comfort  
TOP product characteristics: Intuitive adjustment ring for automatic gear changes to match each application  
TOP product characteristics: One-click rotation direction change with a simple switch, indicated by LED light  
TOP product characteristics: Powerful, compact and enduring thanks to brushless motor  
TOP product characteristics: Screwdriving; drilling in wood and metal; impact drilling in brick and limestone  
TOP product characteristics: Automatic direction setting after stand-by prevents wrong directions to start with  
TOP product characteristics: POWER FOR ALL: One battery for an entire Home & Garden tools system  
TOP product characteristics: Syneon Technology regulates energy use for optimal efficiency and longer runtime  
Product category subdivision: Cordless Two-



speed Combi  
Usage level: Easy  
Title: Cordless Two-speed Combi EasyImpact  
12  
Scope of supply: 2 x battery PBA 12V 2.0Ah  
Scope of supply: Screwdriver bit  
Scope of supply: Soft storage bag  
Scope of supply: Charger GAL 12V-20  
Scope of supply: Carton  
SOL Date: 01.01.2021  
Novelty: no

Scope of delivery:  
1 ST Cordless Two-speed Combi EasyImpact  
12 |

## PRODUCT DESCRIPTION

Cordless Two-speed Combi EasyImpact 12, Incredibly simple-to-use cordless drill offers exceptional comfort, Intuitive adjustment ring for automatic gear changes to match each application, One-click rotation direction change with a simple switch, indicated by LED light, Powerful, compact and enduring thanks to brushless motor, Screwdriving; drilling in wood and metal; impact drilling in brick and limestone, Automatic direction setting after stand-by prevents wrong directions to start with, POWER FOR ALL: One battery for an entire Home & Garden tools system, Syneon Technology regulates energy use for optimal efficiency and longer runtime, 2 x battery PBA 12V 2.0Ah, Screwdriver bit, Soft storage bag, Charger GAL 12V-20, Carton

Article ID: 06039B6105

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.