Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI EASYIMPACT 12

SKU: 4053423224825

Cordless Two-speed Combi EasyImpact 12

Categories: Battery-powered tools, BOSCH Power tools DIY and gardening, Drills and screwdrivers

Product Features: Battery compatibility: 12V POWER FOR ALL
Battery capacity: 2,0 Ah
No-load speed, 1st gear, from: 0 rpm
No-load speed, 1st gear, up to: 400 rpm
No-load speed, 2nd gear, up to: 1.300 rpm
No-load speed (1st gear / 2nd gear): 0 - 400 / 1,300 rpm
Max. torque: 30,0 Nm
Torque settings (amount): 12
Torque settings: 12
Max. impact rate: 19.500 bpm
Drill chuck: 10-mm keyless chuck
Screw diameter up to: 6 mm
Drilling diameter in steel: 8 mm
Drilling diameter in wood: 20 mm
Drilling diameter in masonry: 6 mm
Machine weight with battery: 1,00 kg
7.2 Volt: no
9.6 Volt: no
10.8 Volt: no
12 Volt: yes
14.4 Volt: no
18 Volt: no
Lithium-ion technology: yes
Bosch Electronic Cell Protection (ECP): no
Bosch Auto-Lock: yes
2-speed gearbox: yes
Application: screwdriving / drilling: no
Application: screwdriving / drill. / impact drill.: yes

Copyright © 2023 Actik Tools All rights reserved

Softgrip: yes
Integrated work light: yes
Bosch Electronic: no
Right-hand/left-hand rotation: yes
Charge level indicator: yes
Forward/reverse indicator: yes
Integrated battery: no
Vibration emission value ah [Drilling in metal]: 2,5 m/s²
Uncertainty K [Drilling in metal]: 1,5 m/s²
Vibration emission value ah [Impact drilling in concrete]: 19,0 m/s²
Uncertainty K [Impact drilling in concrete]: 1,5 m/s²
Battery voltage: 12 V
Battery recommendation: >= 1.5 Ah
Tool dimensions (L x W x H): 235 x 235 x 103 mm
Packaging dimensions (length): 232 mm
Packaging dimensions (width): 232 mm
Packaging dimensions (height): 97 mm
Packaging dimensions (L x W x H): 232 x 232 x 97 mm
Product short description: Incredibly simple-to-use cordless drill offers exceptional comfort
TOP product characteristics: Intuitive adjustment ring for automatic gear changes to match each application
TOP product characteristics: One-click rotation direction change with a simple switch, indicated by LED light
TOP product characteristics: Powerful, compact and enduring thanks to brushless motor
TOP product characteristics: Screwdriving; drilling in wood and metal; impact drilling in brick and limestone
TOP product characteristics: Automatic direction setting after stand-by prevents wrong directions to start with
TOP product characteristics: POWER FOR ALL: One battery for an entire Home & Garden tools system
TOP product characteristics: Syneon Technology regulates energy use for optimal efficiency and longer runtime
Product category subdivision: Cordless Two-

Copyright © 2023 Actik Tools All rights reserved

speed Combi
Usage level: Easy
Title: Cordless Two-speed Combi EasyImpact 12
Scope of supply: 1 x battery PBA 12V 2.0Ah
Scope of supply: Screwdriver bit
Scope of supply: Soft storage bag
Scope of supply: Charger GAL 12V-20
Scope of supply: Carton
SOL Date: 01.01.2021
Novelty: no

Scope of delivery:
1 ST Cordless Two-speed Combi EasyImpact 12 |

PRODUCT DESCRIPTION

Cordless Two-speed Combi EasyImpact 12, Incredibly simple-to-use cordless drill offers exceptional comfort, Intuitive adjustment ring for automatic gear changes to match each application, One-click rotation direction change with a simple switch, indicated by LED light, Powerful, compact and enduring thanks to brushless motor, Screwdriving; drilling in wood and metal; impact drilling in brick and limestone, Automatic direction setting after stand-by prevents wrong directions to start with, POWER FOR ALL: One battery for an entire Home & Garden tools system, Syneon Technology regulates energy use for optimal efficiency and longer runtime, 1 x battery PBA 12V 2.0Ah, Screwdriver bit, Soft storage bag, Charger GAL 12V-20, Carton

Article ID: 06039B6104

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved