



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



**ROBERT BOSCH POWER TOOLS GMBH  
CORDLESS TWO-SPEED COMBI  
EASYIMPACT 1200**

**SKU:** 4053423224894

Cordless Two-speed Combi EasyImpact 1200

---

**Categories:** [Battery-powered tools](#), [BOSCH Power tools](#) [DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Battery compatibility: 12V  
POWER FOR ALL  
Battery capacity: 1,5 Ah  
No-load speed, 1st gear, from: 0 rpm  
No-load speed, 1st gear, up to: 400 rpm  
No-load speed, 2nd gear, up to: 1.500 rpm  
No-load speed (1st gear / 2nd gear): 0 - 400 / 1,500 rpm  
Max. torque: 30,0 Nm  
Torque settings (amount): 20  
Torque settings: 20  
Max. impact rate: 22.500 bpm  
Drill chuck: 10-mm keyless chuck  
Screw diameter up to: 6 mm  
Drilling diameter in steel: 8 mm  
Drilling diameter in wood: 20 mm  
Drilling diameter in masonry: 6 mm  
Machine weight with battery: 1,10 kg  
7.2 Volt: no  
9.6 Volt: no  
10.8 Volt: no  
12 Volt: yes  
14.4 Volt: no  
18 Volt: no  
Lithium-ion technology: yes  
Bosch Electronic Cell Protection (ECP): yes  
Bosch Auto-Lock: yes  
2-speed gearbox: yes  
Application: screwdriving / drilling: no  
Application: screwdriving / drill. / impact drill.: yes



Softgrip: yes  
Integrated work light: yes  
Bosch Electronic: yes  
Right-hand/left-hand rotation: yes  
Charge level indicator: no  
Forward/reverse indicator: no  
Integrated battery: no  
Vibration emission value ah [Drilling in metal]: 0,0 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Impact drilling in concrete]: 20,0 m/s<sup>2</sup>  
Uncertainty K [Impact drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]: 0,0 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>  
Battery voltage: 12 V  
Battery recommendation: >= 1.5 Ah  
Tool dimensions (L x W x H): 261 x 295 x 102 mm  
Packaging dimensions (length): 261 mm  
Packaging dimensions (width): 295 mm  
Packaging dimensions (height): 102 mm  
Packaging dimensions (L x W x H): 261 x 295 x 102 mm  
Product short description: The handy helper for all small projects  
TOP product characteristics: Compact, lightweight design with powerful performance  
TOP product characteristics: Torque preselection with 20 torque levels, drill and impact drill setting  
TOP product characteristics: 10-mm shank and a single sleeve chuck for easy screw and drill bit changes  
TOP product characteristics: LED light illuminates workspace for good visibility even in dark corners  
TOP product characteristics: Drilling in wood and metal, impact drilling in masonry, and general screwdriving  
TOP product characteristics: POWER FOR ALL: One battery for an entire Home & Garden tools system  
Product category subdivision: Cordless Two-speed Combi



Usage level: Easy

Title: Cordless Two-speed Combi EasyImpact  
1200

Scope of supply: 2 x battery PBA 12V 1.5Ah

Scope of supply: Screwdriver bit and drill set

Scope of supply: Charger GAL 1210 CV

Scope of supply: Carrying case

SOL Date: 01.09.2020

Novelty: no

Scope of delivery:

1 ST Cordless Two-speed Combi EasyImpact  
1200 |

## PRODUCT DESCRIPTION

Cordless Two-speed Combi EasyImpact 1200, The handy helper for all small projects, Compact, lightweight design with powerful performance, Torque preselection with 20 torque levels, drill and impact drill setting, 10-mm shank and a single sleeve chuck for easy screw and drill bit changes, LED light illuminates workspace for good visibility even in dark corners, Drilling in wood and metal, impact drilling in masonry, and general screwdriving, POWER FOR ALL: One battery for an entire Home & Garden tools system, 2 x battery PBA 12V 1.5Ah, Screwdriver bit and drill set, Charger GAL 1210 CV, Carrying case

Article ID: 06039D3105

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.