



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI EASYIMPACT 18V-40

SKU: 4053423232608

Cordless Two-speed Combi EasyImpact 18V-40

Categories: <u>Battery-powered tools</u>, <u>BOSCH</u> <u>Power tools DIY and gardening</u>, <u>Drills and</u> <u>screwdrivers</u>

Product Features: Battery compatibility: 18V POWER FOR ALL ALLIANCE Battery capacity: 2,0 Ah No-load speed, 1st gear, up to: 430 rpm No-load speed, 2nd gear, up to: 1.630 rpm No-load speed (1st gear / 2nd gear): 430 / 1,630 rpm Max. torque: 40,0 Nm Max. torque for soft/hard screw. applicat., from: 20 Nm Max. torque for soft/hard screw. applications, to: 38 Nm Max. torque for soft/hard screw. applications: 20 / 38 Nm Torque settings (amount): 20 Additional settings: 2 Torque settings: 20 + 2 Max. impact rate: 24.450 bpm Drill chuck: 13-mm keyless chuck Screw diameter up to: 8 mm Drilling diameter in steel: 13 mm Drilling diameter in wood: 30 mm Drilling diameter in masonry: 13 mm Machine weight with battery: 1,40 kg 7.2 Volt: no 9.6 Volt: no 10.8 Volt: no 12 Volt: no 14.4 Volt: no 18 Volt: no





Lithium-ion technology: no Bosch Electronic Cell Protection (ECP): no Bosch Auto-Lock: no 2-speed gearbox: no Application: screwdriving / drilling: no Application: screwdriving / drill. / impact drill.: no Softgrip: no Integrated work light: no Bosch Electronic: no Right-hand/left-hand rotation: no Charge level indicator: no Forward/reverse indicator: no Integrated battery: no Vibration emission value ah [Drilling in metal]: 2,5 m/s² Uncertainty K [Drilling in metal]: 1,5 m/s² Vibration emission value ah [Impact drilling in concrete]: 2,5 m/s² Uncertainty K [Impact drilling in concrete]: 3,0 m/s² Vibration emission value ah [Screwdriving]: 2,5 m/s² Uncertainty K [Screwdriving]: 1,5 m/s² Battery voltage: 18 V Battery recommendation: >= 1.5 Ah Tool dimensions (L x W x H): 195 x 57 x 216 mm Packaging dimensions (length): 295 mm Packaging dimensions (width): 261 mm Packaging dimensions (height): 93 mm Packaging dimensions (L x W x H): 295 x 261 x 93 mm Product short description: One tool does it all: screwdriving, drilling, and impact drilling TOP product characteristics: Versatile 13 mm single-sleeve chuck for easy screw bit and drill bit change. TOP product characteristics: The 2-speed gearbox and 20 torque levels deliver appropriate power and speed for any application TOP product characteristics: For screwdriving, wood, metal, and plastic drilling as well as impact drilling in masonry TOP product characteristics: Comfortable handling thanks to a slim and ergonomic design





TOP product characteristics: LED light for working in poorly lit areas TOP product characteristics: POWER FOR ALL: One battery and charger for an entire Home & Garden tools system Product category subdivision: Cordless Twospeed Combi Usage level: Easy Title: Cordless Two-speed Combi EasyImpact 18V-40 Scope of supply: 2 x battery PBA 18V 2.0Ah Scope of supply: Double screwdriver bit Scope of supply: Charger AL 18V-20 Scope of supply: Carrying case SOL Date: 01.01.2022 Novelty: no Novelty until: 01.04.2022

Scope of delivery: 1 ST Cordless Two-speed Combi EasyImpact 18V-40 |

PRODUCT DESCRIPTION

Cordless Two-speed Combi EasyImpact 18V-40, One tool does it all: screwdriving, drilling, and impact drilling, Versatile 13 mm single-sleeve chuck for easy screw bit and drill bit change., The 2-speed gearbox and 20 torque levels deliver appropriate power and speed for any application, For screwdriving, wood, metal, and plastic drilling as well as impact drilling in masonry, Comfortable handling thanks to a slim and ergonomic design, LED light for working in poorly lit areas, POWER FOR ALL: One battery and charger for an entire Home & Garden tools system, 2 x battery PBA 18V 2.0Ah, Double screwdriver bit, Charger AL 18V-20, Carrying case

Article ID: 06039D8108

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.