



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI UNIVERSALIMPACT 18V

SKU: 4053423225242

Cordless Two-speed Combi Universallimpact
18V

Categories: [Battery-powered tools](#), [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

Product Features: Battery compatibility: 18V
POWER FOR ALL ALLIANCE

Battery capacity: 1,5 Ah

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 440 rpm

No-load speed, 2nd gear, up to: 1.450 rpm

No-load speed (1st gear / 2nd gear): 0 - 440 /
1,450 rpm

Max. torque: 34,0 Nm

Max. torque for soft/hard screw. applicat.,
from: 23 Nm

Max. torque for soft/hard screw. applications,
to: 34 Nm

Max. torque for soft/hard screw. applications:
23 / 34 Nm

Torque settings (amount): 20

Additional settings: 2

Torque settings: 20 + 2

Max. impact rate: 21.750 bpm

Drill chuck: 10-mm keyless chuck

Screw diameter up to: 8 mm

Drilling diameter in steel: 10 mm

Drilling diameter in wood: 30 mm

Drilling diameter in masonry: 10 mm

Tool dimensions (L x W x H): 195 x 57 x 215
mm

Machine weight with battery: 1,30 kg

7.2 Volt: no

9.6 Volt: no

10.8 Volt: no



12 Volt: no
14.4 Volt: no
18 Volt: yes
Lithium-ion technology: yes
Bosch Electronic Cell Protection (ECP): yes
Bosch Auto-Lock: no
2-speed gearbox: yes
Application: screwdriving / drilling: no
Application: screwdriving / drill. / impact drill.:
yes
Softgrip: yes
Integrated work light: no
Bosch Electronic: no
Right-hand/left-hand rotation: yes
Charge level indicator: no
Forward/reverse indicator: no
Integrated battery: no
Vibration emission value ah [Drilling in
metal]: 2,5 m/s²
Uncertainty K [Drilling in metal]: 1,5 m/s²
Vibration emission value ah [Impact drilling in
concrete]: 16,0 m/s²
Uncertainty K [Impact drilling in concrete]: 1,5
m/s²
Vibration emission value ah [Screwdriving]:
2,5 m/s²
Uncertainty K [Screwdriving]: 1,5 m/s²
Battery voltage: 18 V
Battery recommendation: >= 1.5 Ah
Packaging dimensions (length): 232 mm
Packaging dimensions (width): 193 mm
Packaging dimensions (height): 67 mm
Packaging dimensions (L x W x H): 232 x 193 x
67 mm
Product short description: Compact and
powerful cordless all-rounder to tackle
various jobs
TOP product characteristics: Torque
preselection with 20 torque levels, drill and
impact drill setting
TOP product characteristics: LED light for
optimal illumination of the work area
TOP product characteristics: 10-mm shank
and a single sleeve chuck for easy screw bit
and drill bit changes
TOP product characteristics: Screwdriving
and drilling in wood and metal, impact
drilling in masonry



TOP product characteristics: POWER FOR ALL:
One battery for an entire Home & Garden
tools system
Product category subdivision: Cordless Two-
speed Combi
Usage level: Universal
Title: Cordless Two-speed Combi
UniversallImpact 18V
Scope of supply: Double screwdriver bit
Scope of supply: Cardboard box
SOL Date: 02.11.2020
Novelty: no

Scope of delivery:
1 ST Cordless Two-speed Combi
UniversallImpact 18V |

PRODUCT DESCRIPTION

Cordless Two-speed Combi UniversallImpact 18V, Compact and powerful cordless all-rounder to tackle various jobs, Torque preselection with 20 torque levels, drill and impact drill setting, LED light for optimal illumination of the work area, 10-mm shank and a single sleeve chuck for easy screw bit and drill bit changes, Screwdriving and drilling in wood and metal, impact drilling in masonry, POWER FOR ALL: One battery for an entire Home & Garden tools system, Double screwdriver bit, Cardboard box

Article ID: 06039D4100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.