



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI UNIVERSALIMPACT 18V

SKU: 4053423225259

Cordless Two-speed Combi Universallimpact  
18V

**Categories:** [Battery-powered tools](#), [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Battery compatibility: 18V  
POWER FOR ALL ALLIANCE

Battery capacity: 1,5 Ah

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 440 rpm

No-load speed, 2nd gear, up to: 1.450 rpm

No-load speed (1st gear / 2nd gear): 0 - 440 /  
1,450 rpm

Max. torque: 34,0 Nm

Max. torque for soft/hard screw. applicat.,  
from: 23 Nm

Max. torque for soft/hard screw. applications,  
to: 34 Nm

Max. torque for soft/hard screw. applications:  
23 / 34 Nm

Torque settings (amount): 20

Additional settings: 2

Torque settings: 20 + 2

Max. impact rate: 21.750 bpm

Drill chuck: 10-mm keyless chuck

Screw diameter up to: 8 mm

Drilling diameter in steel: 10 mm

Drilling diameter in wood: 30 mm

Drilling diameter in masonry: 10 mm

Tool dimensions (L x W x H): 195 x 57 x 215  
mm

Machine weight with battery: 1,30 kg

7.2 Volt: no

9.6 Volt: no

10.8 Volt: no



12 Volt: no  
14.4 Volt: no  
18 Volt: yes  
Lithium-ion technology: yes  
Bosch Electronic Cell Protection (ECP): yes  
Bosch Auto-Lock: no  
2-speed gearbox: yes  
Application: screwdriving / drilling: no  
Application: screwdriving / drill. / impact drill.:  
yes  
Softgrip: yes  
Integrated work light: no  
Bosch Electronic: no  
Right-hand/left-hand rotation: yes  
Charge level indicator: no  
Forward/reverse indicator: no  
Integrated battery: no  
Vibration emission value ah [Drilling in  
metal]: 2,5 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Impact drilling in  
concrete]: 16,0 m/s<sup>2</sup>  
Uncertainty K [Impact drilling in concrete]: 1,5  
m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]:  
2,5 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>  
Battery voltage: 18 V  
Battery recommendation: >= 1.5 Ah  
Packaging dimensions (length): 291 mm  
Packaging dimensions (width): 386 mm  
Packaging dimensions (height): 102 mm  
Packaging dimensions (L x W x H): 291 x 386 x  
102 mm  
Product short description: Compact and  
powerful cordless all-rounder to tackle  
various jobs  
TOP product characteristics: Torque  
preselection with 20 torque levels, drill and  
impact drill setting  
TOP product characteristics: LED light for  
optimal illumination of the work area  
TOP product characteristics: 10-mm shank  
and a single sleeve chuck for easy screw bit  
and drill bit changes  
TOP product characteristics: Screwdriving  
and drilling in wood and metal, impact  
drilling in masonry



TOP product characteristics: POWER FOR ALL:  
One battery for an entire Home & Garden  
tools system

Product category subdivision: Cordless Two-  
speed Combi

Usage level: Universal

Title: Cordless Two-speed Combi  
UniversallImpact 18V

Scope of supply: 2 x battery PBA 18V 1.5Ah

Scope of supply: Double screwdriver bit

Scope of supply: Charger AL 1810 CV

Scope of supply: Carrying case

SOL Date: 30.10.2020

Novelty: no

Novelty until: 30.01.2021

Scope of delivery:

1 ST Cordless Two-speed Combi

UniversallImpact 18V |

## PRODUCT DESCRIPTION

Cordless Two-speed Combi UniversallImpact 18V, Compact and powerful cordless all-rounder to tackle various jobs, Torque preselection with 20 torque levels, drill and impact drill setting, LED light for optimal illumination of the work area, 10-mm shank and a single sleeve chuck for easy screw bit and drill bit changes, Screwdriving and drilling in wood and metal, impact drilling in masonry, POWER FOR ALL: One battery for an entire Home & Garden tools system, 2 x battery PBA 18V 1.5Ah, Double screwdriver bit, Charger AL 1810 CV, Carrying case

Article ID: 06039D4102

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.