



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED COMBI UNIVERSALIMPACT 18V-60

SKU: 4053423230871

Cordless Two-speed Combi Universallimpact
18V-60

Categories: [Battery-powered tools](#), [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

Product Features: Battery compatibility: 18V
POWER FOR ALL ALLIANCE

Battery capacity: 2,0 Ah

No-load speed, 1st gear, up to: 500 rpm

No-load speed, 2nd gear, up to: 1.900 rpm

No-load speed (1st gear / 2nd gear): 500 /
1,900 rpm

Max. torque: 60,0 Nm

Torque settings (amount): 20

Additional settings: 2

Torque settings: 20 + 2

Max. impact rate: 29 bpm

Drill chuck: 13-mm keyless chuck

Screw diameter up to: 10 mm

Drilling diameter in steel: 13 mm

Drilling diameter in wood: 35 mm

Drilling diameter in masonry: 13 mm

Machine weight with battery: 1,30 kg

7.2 Volt: no

9.6 Volt: no

10.8 Volt: no

12 Volt: no

14.4 Volt: no

18 Volt: no

Lithium-ion technology: no

Bosch Electronic Cell Protection (ECP): no

Bosch Auto-Lock: no

2-speed gearbox: no

Application: screwdriving / drilling: no

Application: screwdriving / drill. / impact drill.:



no

Softgrip: no

Integrated work light: no

Bosch Electronic: no

Right-hand/left-hand rotation: no

Charge level indicator: no

Forward/reverse indicator: no

Integrated battery: no

Vibration emission value ah [Drilling in metal]: 0,0 m/s²

Uncertainty K [Drilling in metal]: 1,5 m/s²

Vibration emission value ah [Impact drilling in concrete]: 15,0 m/s²

Uncertainty K [Impact drilling in concrete]: 2,0 m/s²

Vibration emission value ah [Screwdriving]: 0,0 m/s²

Uncertainty K [Screwdriving]: 1,5 m/s²

Battery voltage: 18 V

Battery recommendation: >= 1.5 Ah

Tool dimensions (L x W x H): 177 x 56 x 232 mm

Packaging dimensions (length): 216 mm

Packaging dimensions (width): 67 mm

Packaging dimensions (height): 221 mm

Packaging dimensions (L x W x H): 216 x 67 x 221 mm

Product short description: Powerful screwdriving and impact drilling with maximum endurance and comfort

TOP product characteristics: Brushless motor delivers superior drilling power and additional runtime

TOP product characteristics: Robust 13-mm metal chuck for secure drill fixing and easy accessory change

TOP product characteristics: Optimal control with 20 torque pre-selection and maximum hard torque of 60 Nm

TOP product characteristics: 2-speed gearbox, drilling, and impact drilling mode

TOP product characteristics: Effortless screwdriving and impact drilling in masonry, wood, metal, and plastic

TOP product characteristics: Syneon Technology for optimum power or maximum endurance as required

TOP product characteristics: 18V POWER FOR



ALL - The battery for all Bosch 18V Home & Garden tools
Product category subdivision: Cordless Two-speed Combi
Usage level: Universal
Title: Cordless Two-speed Combi
UniversallImpact 18V-60
Scope of supply: Double screwdriver bit
Scope of supply: Cardboard box
SOL Date: 01.03.2022
Novelty: no
Novelty until: 01.06.2022

Scope of delivery:
1 ST Cordless Two-speed Combi
UniversallImpact 18V-60 |

PRODUCT DESCRIPTION

Cordless Two-speed Combi UniversallImpact 18V-60, Powerful screwdriving and impact drilling with maximum endurance and comfort, Brushless motor delivers superior drilling power and additional runtime, Robust 13-mm metal chuck for secure drill fixing and easy accessory change, Optimal control with 20 torque pre-selection and maximum hard torque of 60 Nm, 2-speed gearbox, drilling, and impact drilling mode, Effortless screwdriving and impact drilling in masonry, wood, metal, and plastic, Syneon Technology for optimum power or maximum endurance as required, 18V POWER FOR ALL - The battery for all Bosch 18V Home & Garden tools, Double screwdriver bit, Cardboard box

Article ID: 06039D7100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.