



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS TWO-SPEED DRILL/DRIVER EASYDRILL 1200

**SKU:** 4053423226096

Cordless Two-speed Drill/Driver EasyDrill  
1200

---

**Categories:** [Battery-powered tools](#), [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Battery compatibility: 12V  
POWER FOR ALL

Battery capacity: 1,5 Ah

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 400 rpm

No-load speed, 2nd gear, up to: 1.500 rpm

No-load speed (1st gear / 2nd gear): 0 - 400 /  
1,500 rpm

Max. torque: 30,0 Nm

Max. torque for soft/hard screw. applicat.,  
from: 18 Nm

Max. torque for soft/hard screw. applications,  
to: 30 Nm

Max. torque for soft/hard screw. applications:  
18 / 30 Nm

Torque settings (amount): 20

Additional settings: 1

Torque settings: 20 + 1

Drill chuck: 10-mm keyless chuck

Screw diameter up to: 6 mm

Drilling diameter in steel: 8 mm

Drilling diameter in wood: 20 mm

Machine weight with battery: 0,94 kg

7.2 Volt: no

9.6 Volt: no

10.8 Volt: no

12 Volt: yes

14.4 Volt: no

18 Volt: no

Lithium-ion technology: yes



Bosch Electronic Cell Protection (ECP): yes  
Bosch Auto-Lock: yes  
2-speed gearbox: yes  
Application: screwdriving / drilling: yes  
Application: screwdriving / drill. / impact drill.:  
no  
Softgrip: yes  
Integrated work light: yes  
Bosch Electronic: yes  
Right-hand/left-hand rotation: yes  
Charge level indicator: no  
Forward/reverse indicator: no  
Integrated battery: no  
Vibration emission value ah [Drilling in  
metal]: 0,0 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]:  
0,0 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>  
Battery voltage: 12 V  
Battery recommendation: >= 1.5 Ah  
Tool dimensions (L x W x H): 300 x 154 x 270  
mm  
Packaging dimensions (length): 300 mm  
Packaging dimensions (width): 154 mm  
Packaging dimensions (height): 270 mm  
Packaging dimensions (L x W x H): 300 x 154 x  
270 mm  
Product short description: The cordless drill  
that gets straight to the point  
TOP product characteristics: Compact and  
lightweight design with uncompromised  
performance  
TOP product characteristics: Preselectable  
settings deliver optimum power and speed  
for every application  
TOP product characteristics: Built-in LED  
work light ensures proper illumination of the  
workpiece  
TOP product characteristics: Ideal for small  
drilling projects in wood and metal, as well as  
for screwdriving  
TOP product characteristics: Single-sleeve  
chuck enables quick and convenient  
accessory changes  
TOP product characteristics: POWER FOR ALL:  
One battery and charger for an entire Home  
& Garden tools system



Product category subdivision: Cordless Two-speed Drill/Driver

Usage level: Easy

Title: Cordless Two-speed Drill/Driver  
EasyDrill 1200

Scope of supply: 2 x battery PBA 12V 1.5Ah

Scope of supply: 34-piece accessory set (AC Xline) (2 607 010 608)

Scope of supply: Charger GAL 1210 CV

Scope of supply: Carrying case

SOL Date: 01.11.2019

Novelty: no

Scope of delivery:

1 ST Cordless Two-speed Drill/Driver EasyDrill  
1200 |

## PRODUCT DESCRIPTION

Cordless Two-speed Drill/Driver EasyDrill 1200, The cordless drill that gets straight to the point, Compact and lightweight design with uncompromised performance, Preselectable settings deliver optimum power and speed for every application, Built-in LED work light ensures proper illumination of the workpiece, Ideal for small drilling projects in wood and metal, as well as for screwdriving, Single-sleeve chuck enables quick and convenient accessory changes, POWER FOR ALL: One battery and charger for an entire Home & Garden tools system, 2 x battery PBA 12V 1.5Ah, 34-piece accessory set (AC Xline) (2 607 010 608), Charger GAL 1210 CV, Carrying case

Article ID: 06039D3008

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.