



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH  
CORE BOX BIT, 8 MM, R1 4 MM, D 8  
MM, L 9.2 MM, G 40 MM. FOR HAND-  
HELD ROUTERS**

**SKU:** 3165140358286

Core box bit, 8 mm, R1 4 mm, D 8 mm, L 9.2 mm, G 40 mm. For hand-held routers

---

**Categories:** [Accessories for BOSCH professional](#), [Cutters and planing knives](#)

**Product Features:** Shank mm: 8

Radius (R1) mm: 4

Diameter (D) mm: 8

Working length (L) mm: 9,2

Total length (G) mm: 40

Benefit HL (short): High Cutting Performance for Radiused Grooves

Performance Claim Text: For Radiused Grooves

(Version) Key RTB: High-quality tungsten carbide cutter for durability and reliable cutting results

Specific RTB1: Bit design prevents kickbacks by limiting the generated chip-thickness

Specific RTB2: Intended for routing radiused grooves for decorative panel finishes in soft and hard solid wood and wood composites

Material: Hardwood

Material: Particleboard

Material: Medium density fibreboard

Material: Plywood

Material: Softwood

SOL Date: 19.07.2002

Novelty: no

Scope of delivery:

1 ST Core box bit, 8 mm, R1 4 mm, D 8 mm, L 9.2 mm, G 40 mm. For hand-held routers |









## PRODUCT DESCRIPTION

The Standard for Wood Core Box Bit delivers a high cutting performance when routing radiused grooves. It features a high-quality tungsten carbide cutter for durability and reliable cutting results. Furthermore, the bit prevents kickbacks by limiting the thickness of the generated chips. This product is intended for routing radiused grooves for decorative panel finishes, board edges and for structuring surfaces in soft and hard solid wood and wood composites.

Article ID: 2608628367

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.