



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH DEMOLITION HAMMER WITH SDS MAX GSH 11 E

SKU: 3165140203869

Demolition Hammer with SDS max GSH 11 E

Categories: [BOSCH professional](#), [Drill & percussion hammers](#)

Product Features: Vibration emission value
ah [Chiselling in concrete]: 2,0 m/s²

Uncertainty K [Chiselling in concrete]: 18,5
m/s²

Packaging dimensions (width): 410 mm

Packaging dimensions (length): 620 mm

Packaging dimensions (height): 150 mm

Packaging dimensions (width x length x
height): 410 x 620 x 150 mm

Rated input power: 1.500 W

Impact energy (according to EPTA 05/2016):
16,8 J

Impact rate at rated speed, from: 900 bpm

Impact rate at rated speed, up to: 1.890 bpm

Impact rate at rated speed: 900 - 1,890 bpm

Weight: 10,1 kg

Tool dimensions (length): 570 mm

Tool dimensions (height): 270 mm

Tool holder: SDS max

Product category subdivision: Demolition
Hammer with SDS max

Positioning: Strongest Bosch SDS max
demolition hammer for horizontal work

User benefit incl. Reason to believe: Powerful
motor enables the delivery of 16.8 J of impact
energy for high material removal rates

User benefit incl. Reason to believe: Highly
durable due to extremely robust components

User benefit incl. Reason to believe: Compact
design for easy manoeuvrability and handling

Positioning (BE): The specialist tool for
breakthroughs and demolition work



User benefit incl. Reason to believe (BE): Extreme impact force of 16.8 joules for high material removal rate
User benefit incl. Reason to believe (BE): Low-vibration in operation and no-load
User benefit incl. Reason to believe (BE): Low feed pressure, for fatigue-free working
Areas of application: Drilling in concrete
Areas of application: Drilling in stone
Areas of application: Chiselling in concrete
Areas of application: Chiselling in natural materials
Areas of application: Chiselling in stone
Title: Demolition Hammer with SDS max GSH 11 E Professional
Novelty: no
Scope of supply: Auxiliary handle (2 602 025 076)
Scope of supply: Carrying case (2 605 438 297)
Scope of supply: 1 x flat chisel, SDS max, RTec Sharp, 400 mm (2 608 690 124)
Scope of supply: Grease tube (spare part number 1 615 430 010)
Scope of supply: Machine cloth
SOL Date: 18.07.2002

Scope of delivery:
1 ST Demolition Hammer with SDS max GSH 11 E |

PRODUCT DESCRIPTION

Demolition Hammer with SDS max GSH 11 E, The GSH 11 E Professional is the most powerful performer for horizontal chiselling in Bosch's SDS max corded demolition hammer category. Its extremely powerful motor enables the delivery of an impressive 16.8 J of impact energy, providing a remarkably high material removal rate. This demolition hammer is also built for durability, featuring exceptionally robust components. Furthermore, its compact design provides easy manoeuvrability and handling. While this tool is intended for horizontal chiselling in concrete and stone, it also performs incredibly well in vertical applications. It is compatible with dust attachment GDE max Professional. The GSH 11 E Professional's additional features include a sliding Lock-on switch, Constant Speed, Speed Selection, and Vario-Lock. Auxiliary handle (2 602 025 076); Carrying case (2 605 438 297); 1 x flat chisel, SDS max, RTec Sharp, 400 mm (2 608 690 124); Grease tube (spare part number 1 615 430 010); Machine cloth

Article ID: 0611316703



PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.