



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH DEMOLITION HAMMER WITH SDS PLUS GSH 3 E

**SKU:** 3165140326179

Demolition Hammer with SDS plus GSH 3 E

---

**Categories:** [BOSCH professional](#), [Drill & percussion hammers](#)

**Product Features:** Packaging dimensions (width): 340 mm

Packaging dimensions (length): 469 mm

Packaging dimensions (height): 122 mm

Packaging dimensions (width x length x height): 340 x 469 x 122 mm

Voltage, electrical: 230 V

Rated input power: 650 W

Impact energy (according to EPTA 05/2016): 2,6 J

Impact rate at rated speed, from: 0 bpm

Impact rate at rated speed, up to: 3.500 bpm

Impact rate at rated speed: 0 - 3,500 bpm

Weight: 3,7 kg

Tool dimensions (width): 89 mm

Tool dimensions (length): 376 mm

Tool dimensions (height): 208 mm

Tool holder: SDS plus

Product category subdivision: Demolition Hammer with SDS plus

Positioning: Lightest demolition hammer for convenience and control in the SDS plus category

User benefit incl. Reason to believe:

Lightweight design and softgrip handle enable convenient handling and control for precise chiselling

User benefit incl. Reason to believe:

Extremely robust hammer mechanism and toolholder for long tool lifetime

User benefit incl. Reason to believe: Lock-on button for easy continuous chiselling



Positioning (BE): The specialist tool for renovation and refurbishment

User benefit incl. Reason to believe (BE): High material removal rate thanks to powerful 650 W motor and special tile chisel

User benefit incl. Reason to believe (BE): Long lifetime thanks to the extremely sturdy hammer mechanism and toolholder as well as oil lubrication

User benefit incl. Reason to believe (BE): Excellent handling thanks to its low weight of only 3.5 kg, its compact design, lockable accelerator switch and soft grip

Areas of application: Chiselling in concrete

Areas of application: Chiselling in wood

Areas of application: Chiselling in stone

Title: Demolition Hammer with SDS plus GSH 3 E Professional

Novelty: no

Scope of supply: Auxiliary handle (2 602 025 140)

Scope of supply: Carrying case (2 605 438 482)

Scope of supply: Grease tube (spare part number 1 615 430 005)

Scope of supply: 1 x pointed chisel, SDS plus, 250 mm (2 608 690 145)

Scope of supply: 1 x tile chisel, SDS plus, 260 mm (2 608 690 091)

SOL Date: 01.05.2004

Scope of delivery:

1 ST Demolition Hammer with SDS plus GSH 3 E |

## PRODUCT DESCRIPTION

Demolition Hammer with SDS plus GSH 3 E, The GSH 3 E Professional is the lightest professional demolition hammer in Bosch's SDS plus corded demolition hammer category. Its lightweight design and soft grip handle enable convenient handling and control for precise chiselling applications. The demolition hammer also features a long performance lifetime due to its extremely robust hammer mechanism and toolholder. Furthermore, it has a Lock-on button allowing for easy continuous work. This tool is intended for chiselling in concrete, masonry, and tile. The GSH 3 E Professional's additional features include Vario-Lock and Variable Speed. Auxiliary handle (2 602 025 140); Carrying case (2 605 438 482); Grease tube (spare part number 1 615 430 005); 1 x pointed chisel, SDS plus, 250 mm (2 608 690 145); 1 x tile chisel, SDS plus, 260 mm (2 608 690 091)



Article ID: 0611320703

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.