



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH DETECTOR WALLSCANNER D-TECT 200 C

SKU: 3165140988148

Detector Wallscanner D-tect 200 C

Categories: <u>Battery-powered tools</u>, <u>BOSCH</u> <u>professional</u>, <u>Measuring equipment</u>

Product Features: Battery voltage: 12

Bosch Radar Technology: yes

Detectable objects: magnetic metals (e.g.

iron)

Detectable objects: non-magnetic metals (e.g.

copper)

Detectable objects: live cables
Detectable objects: non-live cables
Detectable objects: Empty plastic pipes
Detectable objects: water-filled plastic pipes
Detectable objects: wooden substructures

Max. detection depth: 200 mm

Detection depth, dry concrete, max.: 200 mm Detection depth, early age concrete, max.: 60

mm

Detection depth, other wall types, max.: 80

mm

Detection depth, wooden substructures,

max.: 38 mm

Accuracy: ± 5 mm* (*plus use-dependent

deviation)

Views: Object view Views: Spot view Views: Signal View 2D Views: Signal View

Wall types: Brick/Universal

Wall types: Concrete Wall types: Drywall

Wall types: Panel Heating
Wall types: Early age concrete
Wall types: Horizontal coring brick
Wall types: Vertical coring brick





Dust and splash protection: IP 5X Documentation via: USB-C Documentation via: SD-Card

Updatable: yes

Material identification: Live cable Material identification: Magnetic metal Material identification: Non-magnetic metal Material identification: Non-metal material

Power supply: 12 V Li-Ion battery Power supply: 4 x 1.5 V LR6 (AA) Power supply: 4 x 1.2 V HR06 (AA)

Weight, approx.: 0,7 kg

Additional function: Leakage detection,

distance measurement

Product category subdivision: Detector Positioning: The wallscanner for exceptional

results: top performance and easy

documentation

User benefit incl. Reason to believe: Bosch Radar Technology and modern user interface for precision, higher safety, and clear

illustration of detected objects

User benefit incl. Reason to believe: Multiple views flexibly offer best results in various situations

User benefit incl. Reason to believe:

Screenshot feature supports quick and easy

documentation; screenshots are

downloadable via USB-C and SD card slot Title: Detector Wallscanner D-tect 200 C

Professional Novelty: no

Novelty until: 01.08.2021 Scope of supply: Pouch

Scope of supply: 4 x 1.5 V LR6 battery (AA)

Scope of supply: Battery adapter (1600A017HF/1600A017HH)
Scope of supply: USB-C Cable
Scope of supply: Hand strap

SOL Date: 01.05.2021

Scope of delivery:

1 ST Detector Wallscanner D-tect 200 C |

PRODUCT DESCRIPTION





Detector Wallscanner D-tect 200 C, The D-tect 200 C Professional detects all common objects and illustrates them clearly, while making documentation easy. Equipped with Bosch Radar Technology and an improved user interface, it stands for safer and more precise construction work. Multiple views allow for conveniently choosing the best option for different applications, such as Spot View, that makes detection in hard-to-reach locations especially easy. To provide solid evidence, the wallscanner´s innovative screenshot feature enables quick documentation. The D-tect 200 C Professional supports both indoor and outdoor jobs, prevents damage during drilling, and measures concrete coverage. The wallscanner detects objects in depths up to 20 cm and indicates the object´s depth. Pouch; 4 x 1.5 V LR6 battery (AA); Battery adapter (1600A017HF/1600A017HH); USB-C Cable; Hand strap

Article ID: 0601081600

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.