



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH DRILL GBM 13-2 RE

**SKU:** 3165140797955

Drill GBM 13-2 RE



---

**Categories:** [BOSCH professional](#), [Drills & percussion drills](#)

**Product Features:** Positioning: 2-gear  
rotary drill for precision work

User benefit incl. Reason to believe: Powerful 750 W motor and high torque for fast work progress, drilling holes in steel of up to 13 mm in diameter

User benefit incl. Reason to believe: Compact and ergonomic design providing good tool handling for precise results

User benefit incl. Reason to believe: 2-speed gearbox with speed preselection setting wheel for accurate performance in versatile applications

Positioning (BE): The powerful and precise tool with 2 gears

User benefit incl. Reason to believe (BE): A fast work rate for drilling holes of up to 13 mm in steel thanks to powerful 750 watt motor and high torque

User benefit incl. Reason to believe (BE): Precise work results due to compact, ergonomic design and metal keyless chuck

User benefit incl. Reason to believe (BE): Versatile applications thanks to 2-speed gearbox and speed preselection with setting wheel

Areas of application: Drilling in concrete

Areas of application: Drilling in ferrous metals

Areas of application: Drilling in wood

Areas of application: Drilling in synthetic material

Areas of application: Drilling in non-ferrous metal



Areas of application: Drilling in stone  
Areas of application: Dry drilling in stone  
Areas of application: Screwdriving  
Areas of application: Brushing coating material  
Areas of application: Brushing ferrous metals  
Areas of application: Brushing wood  
Areas of application: Brushing non-ferrous metal  
Title: Drill GBM 13-2 RE Professional  
Novelty: no  
Novelty until: 01.11.2015  
Scope of supply: Keyed chuck 1.5 - 13 mm (1 608 571 062)  
Scope of supply: Auxiliary handle (2 602 025 190)  
Scope of supply: Depth stop 210 mm (1 613 001 010)  
Scope of supply: Cardboard box  
SOL Date: 01.08.2015  
Rated input power: 750 W  
No-load speed, 1st gear, from: 0 rpm  
No-load speed, 1st gear, up to: 1.000 rpm  
No-load speed, 1st gear: 0 - 1,000 rpm  
No-load speed, 2nd gear, from: 3.200 rpm  
No-load speed, 2nd gear: 3,200 rpm  
Power output: 353 W  
Weight: 2,4 kg  
Rated speed, 1st gear: 500 rpm  
Rated speed, 2nd gear: 1.750 rpm  
Rated speed: 500 / 1,750 rpm  
Rated torque, 1st gear: 6,8 Nm  
Rated torque, 2nd gear: 2,5 Nm  
Rated torque: 6.8 / 2.5 Nm  
Drill spindle connecting thread: 1/2"-20 UNF  
Torque, max., 1st gear: 39,5 Nm  
Torque, max., 2nd gear: 12,5 Nm  
Max. torque: 39.5 / 12.5 Nm  
Drilling dia. in aluminium, from: 20 mm  
Drilling dia. in aluminium, up to: 12 mm  
Drilling diameter in aluminium: 20 / 12 mm  
Drilling dia. in wood, from: 32 mm  
Drilling dia. in wood, up to: 20 mm  
Drilling diameter in wood: 32 / 20 mm  
Drilling dia. in steel, from: 13 mm  
Drilling dia. in steel, up to: 8 mm  
Drilling diameter in steel: 13 / 8 mm  
Vibration emission value ah [Drilling in



metal]: 1,6 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 7,5 m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]:  
1,5 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 2,5 m/s<sup>2</sup>  
Vibration emission value ah [Thread-cutting]:  
1,5 m/s<sup>2</sup>  
Uncertainty K [Thread-cutting]: 2,5 m/s<sup>2</sup>  
Packaging dimensions (width): 283 mm  
Packaging dimensions (length): 358 mm  
Packaging dimensions (height): 80 mm  
Packaging dimensions (width x length x  
height): 283 x 358 x 80 mm  
Drill chuck, version: Keyed chuck  
Voltage, electrical, up to: 230 V  
Voltage, electrical: 230 V  
Spindle collar diameter: 43,0 mm  
Bit holder: 1/2"-20 UNF  
Product category subdivision: Drill

Scope of delivery:  
1 ST Drill GBM 13-2 RE |

## PRODUCT DESCRIPTION

Drill GBM 13-2 RE, The GBM 13-2 RE Professional is a corded 2-gear rotary drill designed for precision drilling. Its powerful 750 W motor and high torque deliver fast work progress, enabling the drilling of holes in steel of up to 13 mm in diameter. It features a compact and ergonomic design providing good tool handling for precise work. This rotary drill also features a 2-speed gearbox and a speed preselection setting wheel for accurate performance in versatile applications. This tool is intended for drilling in metal and wood. The GBM 13-2 RE Professional includes the option of selecting 1 out of 3 different chucks, and features right-left rotation, rotation control clutch, and speed selection, as well as variable speed. Keyed chuck 1.5 - 13 mm (1 608 571 062); Auxiliary handle (2 602 025 190); Depth stop 210 mm (1 613 001 010); Cardboard box

Article ID: 06011B2001

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.