



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH DRYWALL SCREWDRIVER GSR 6-25 TE

**SKU:** 3165140636650

Drywall Screwdriver GSR 6-25 TE

**Categories:** [BOSCH professional](#), [Drills & percussion drills](#)

### **Product Features:** Bit holder: 1/4" Hex Uni

Rated torque: 2,3 Nm

Packaging dimensions (width): 300 mm

Packaging dimensions (length): 347 mm

Packaging dimensions (height): 100 mm

Packaging dimensions (width x length x height): 300 x 347 x 100 mm

Voltage, electrical: 230 V

Weight: 1,5 kg

Rated input power: 701 W

Torque, max. (soft screwdriving applications): 20 Nm

Power output: 327 W

No-load speed, from: 0 rpm

No-load speed, up to: 2.500 rpm

No-load speed: 0 - 2,500 rpm

Tool dimensions (width): 71 mm

Tool dimensions (length): 295 mm

Tool dimensions (height): 207 mm

Max. screw diameter: 6,0 mm

Vibration emission value ah [Screwdriving]: 2,5 m/s<sup>2</sup>

Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>

Product category subdivision: Drywall Screwdriver

Positioning: Powerful corded drywall screwdriver

Long version part 1: The GSR 6-25 TE

Professional is a powerful, corded, drywall screwdriver. Its high torque enables effective work in solid material. Through the ergonomic design and the depth stop, the tool can be operated comfortably and



effortlessly with one hand only. This drywall screwdriver is also designed for precision, with an exact shut-off clutch for screwdriving at constant depths.

Long version part 2: This tool is intended for fastening drywall screws into substructure materials such as wood and metal. It is compatible with the MA 55 Professional screwgun magazine attachment.

Long version part 3: The GSR 6-25 TE Professionals features include Autolock, a belt clip/hook, exchangeable depth stop, reverse mode, and speed selection.

User benefit incl. Reason to believe: High torque for effective work in solid material

User benefit incl. Reason to believe: Ergonomic design and depth stop for comfortable and effortless one-handed operations

User benefit incl. Reason to believe: Exact shut-off clutch for screwdriving at constant precise depths

Positioning (BE): The powerful drywall screwdriver

User benefit incl. Reason to believe (BE): High torque enables powerful screwdriving

User benefit incl. Reason to believe (BE): Comfortable work due to ergonomic design and depth stop that can be operated with one hand

User benefit incl. Reason to believe (BE): Precise screwdriving to a constant depth due to exact shut-off clutch

Areas of application: Screwdriving

Title: Drywall Screwdriver GSR 6-25 TE Professional

Novelty: no

Scope of supply: Carrying case (2 605 438 620)

Scope of supply: Depth stop (2 607 002 585)

Scope of supply: Depth stop (2 607 002 586)

Scope of supply: Magnetic universal holder (2 607 000 157)

Scope of supply: 1 x screwdriver bit PH 2

Scope of supply: Belt clip (spare part number 2 601 329 113)

SOL Date: 12.01.2011



Scope of delivery:

1 ST Drywall Screwdriver GSR 6-25 TE |

## PRODUCT DESCRIPTION

Drywall Screwdriver GSR 6-25 TE, The GSR 6-25 TE Professional is a powerful, corded, drywall screwdriver. Its high torque enables effective work in solid material. Through the ergonomic design and the depth stop, the tool can be operated comfortably and effortlessly with one hand only. This drywall screwdriver is also designed for precision, with an exact shut-off clutch for screwdriving at constant depths. This tool is intended for fastening drywall screws into substructure materials such as wood and metal. It is compatible with the MA 55 Professional screwgun magazine attachment. The GSR 6-25 TE Professionals features include Autolock, a belt clip/hook, exchangeable depth stop, reverse mode, and speed selection. Carrying case (2 605 438 620); Depth stop (2 607 002 585); Depth stop (2 607 002 586); Magnetic universal holder (2 607 000 157); 1 x screwdriver bit PH 2; Belt clip (spare part number 2 601 329 113)

Article ID: 0601445000

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.