



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH DUST EXTRACTION HAMMER WITH SDS PLUS GBH 2-23

**SKU:** 3165140435222

Dust Extraction Hammer with SDS plus GBH  
2-23

---

**Categories:** [BOSCH professional](#), [Drill & percussion hammers](#)

### **Product Features:** Packaging dimensions

(width): 330 mm

Packaging dimensions (length): 555 mm

Packaging dimensions (height): 150 mm

Packaging dimensions (width x length x height): 330 x 555 x 150 mm

Voltage, electrical: 230 V

Rated input power: 710 W

Impact energy (according to EPTA 05/2016):  
2,3 J

Impact rate at rated speed, from: 0 bpm

Impact rate at rated speed, up to: 4.400 bpm

Impact rate at rated speed: 0 - 4,400 bpm

Rated speed, from: 0 rpm

Rated speed, up to: 1.000 rpm

Rated speed: 0 - 1,000 rpm

Weight: 3,6 kg

Weight without dust extraction unit: 2,9 kg

Weight with dust extraction unit: 3,6 kg

Weight without/with dust extraction unit: 2.9  
/ 3.6 kg

Tool dimensions (width): 84 mm

Tool dimensions (length): 500 mm

Tool dimensions (height): 209 mm

Tool holder: SDS plus

Drilling dia. concrete, hammer drill bits, from:  
4 mm

Drilling dia. concrete, hammer drill bits, up  
to: 23 mm

Drilling dia. concrete, hammer drill bits: 4 - 23  
mm



Rec. appl. range concrete, hammer drill bits,  
from: 4 mm

Rec. appl. range concrete, hammer drill bits,  
to: 12 mm

Opt. appl. range concrete, hammer drill bits:  
4 - 12 mm

Min. dia. in concrete with core cutters: 12  
mm

Drilling diameter in concrete with core  
cutters: 12 mm

Drilling dia. concrete, dust extraction unit,  
from: 4 mm

Drilling dia. concrete, dust extraction unit, to:  
16 mm

Drilling dia. concrete, dust extraction unit: 4 -  
16 mm

Max. drilling diameter masonry, core cutters:  
68 mm

Max. drilling diameter in metal: 13 mm

Max. drilling diameter in wood: 32 mm

Product category subdivision: Dust Extraction  
Hammer with SDS plus

Positioning: The most compact solution for  
dust-free drilling

User benefit incl. Reason to believe:  
Integrated, removable dust extraction unit  
for clean, dust-free working

User benefit incl. Reason to believe:  
Comfortable working even overhead due to  
particularly compact design

User benefit incl. Reason to believe: Core  
cutter adapter set for dust extraction when  
working with core cutters (up to 68 mm) - can  
also be used with external extractor

Positioning (BE): The most compact solution  
for dust-free drilling

User benefit incl. Reason to believe (BE):  
Convenient working due to particularly  
compact design

User benefit incl. Reason to believe (BE):  
Integrated, removable dust extraction unit  
for clean, dust-free working

User benefit incl. Reason to believe (BE):  
Convenient working even overhead due to  
particularly compact design

Areas of application: Drilling in concrete

Areas of application: Drilling in ferrous metals

Areas of application: Drilling in wood



Areas of application: Drilling in synthetic material  
Areas of application: Drilling in stone  
Areas of application: Chiselling in concrete  
Areas of application: Chiselling in wood  
Areas of application: Chiselling in stone  
Title: Dust Extraction Hammer with SDS plus GBH 2-23 Professional  
Novelty: no  
Scope of supply: Machine cloth  
Scope of supply: Carrying case  
Scope of supply: Dust extraction unit  
Scope of supply: Auxiliary handle (spare part number 1 619 P06 104)  
Scope of supply: 5 x seal ring (spare part number 1 619 P04 548)  
SOL Date: 01.10.2007

Scope of delivery:  
1 ST Dust Extraction Hammer with SDS plus GBH 2-23 |

## PRODUCT DESCRIPTION

Dust Extraction Hammer with SDS plus GBH 2-23, The most compact solution for dust-free drilling, Integrated, removable dust extraction unit for clean, dust-free working, Comfortable working even overhead due to particularly compact design, Core cutter adapter set for dust extraction when working with core cutters (up to 68 mm) - can also be used with external extractor, Machine cloth; Carrying case; Dust extraction unit; Auxiliary handle (spare part number 1 619 P06 104); 5 x seal ring (spare part number 1 619 P04 548)

Article ID: 0611250500

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.