Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH DUST EXTRACTION HAMMER WITH SDS PLUS GBH 2-23

SKU: 3165140435222

Dust Extraction Hammer with SDS plus GBH 2-23

Categories: BOSCH professional, Drill & percussion hammers

Product Features: Packaging dimensions (width): 330 mm
Packaging dimensions (length): 555 mm
Packaging dimensions (height): 150 mm
Packaging dimensions (width x length x height): 330 x 555 x 150 mm
Voltage, electrical: 230 V
Rated input power: 710 W
Impact energy (according to EPTA 05/2016): 2,3 J
Impact rate at rated speed, from: 0 bpm
Impact rate at rated speed, up to: 4.400 bpm
Impact rate at rated speed: 0 - 4,400 bpm
Rated speed, from: 0 rpm
Rated speed, up to: 1.000 rpm
Rated speed: 0 - 1,000 rpm
Weight: 3,6 kg
Weight without dust extraction unit: 2,9 kg
Weight with dust extraction unit: 3,6 kg
Weight without/with dust extraction unit: 2.9 / 3.6 kg
Tool dimensions (width): 84 mm
Tool dimensions (length): 500 mm
Tool dimensions (height): 209 mm
Tool holder: SDS plus
Drilling dia. concrete, hammer drill bits, from: 4 mm
Drilling dia. concrete, hammer drill bits, up to: 23 mm
Drilling dia. concrete, hammer drill bits: 4 - 23 mm

Copyright © 2023 Actik Tools All rights reserved

Rec. appl. range concrete, hammer drill bits, from: 4 mm
Rec. appl. range concrete, hammer drill bits, to: 12 mm
Opt. appl. range concrete, hammer drill bits: 4 - 12 mm
Min. dia. in concrete with core cutters: 12 mm
Drilling diameter in concrete with core cutters: 12 mm
Drilling dia. concrete, dust extraction unit, from: 4 mm
Drilling dia. concrete, dust extraction unit, to: 16 mm
Drilling dia. concrete, dust extraction unit: 4 - 16 mm
Max. drilling diameter masonry, core cutters: 68 mm
Max. drilling diameter in metal: 13 mm
Max. drilling diameter in wood: 32 mm
Product category subdivision: Dust Extraction Hammer with SDS plus
Positioning: The most compact solution for dust-free drilling
User benefit incl. Reason to believe: Integrated, removable dust extraction unit for clean, dust-free working
User benefit incl. Reason to believe: Comfortable working even overhead due to particularly compact design
User benefit incl. Reason to believe: Core cutter adapter set for dust extraction when working with core cutters (up to 68 mm) - can also be used with external extractor
Positioning (BE): The most compact solution for dust-free drilling
User benefit incl. Reason to believe (BE): Convenient working due to particularly compact design
User benefit incl. Reason to believe (BE): Integrated, removable dust extraction unit for clean, dust-free working
User benefit incl. Reason to believe (BE): Convenient working even overhead due to particularly compact design
Areas of application: Drilling in concrete
Areas of application: Drilling in ferrous metals
Areas of application: Drilling in wood

Copyright © 2023 Actik Tools All rights reserved

Areas of application: Drilling in synthetic material
Areas of application: Drilling in stone
Areas of application: Chiselling in concrete
Areas of application: Chiselling in wood
Areas of application: Chiselling in stone
Title: Dust Extraction Hammer with SDS plus GBH 2-23 Professional
Novelty: no
Scope of supply: Machine cloth
Scope of supply: Carrying case
Scope of supply: Dust extraction unit
Scope of supply: Auxiliary handle (spare part number 1 619 P06 104)
Scope of supply: 5 x seal ring (spare part number 1 619 P04 548)
SOL Date: 01.10.2007

Scope of delivery:
1 ST Dust Extraction Hammer with SDS plus GBH 2-23 |

PRODUCT DESCRIPTION

Dust Extraction Hammer with SDS plus GBH 2-23, The most compact solution for dust-free drilling, Integrated, removable dust extraction unit for clean, dust-free working, Comfortable working even overhead due to particularly compact design, Core cutter adapter set for dust extraction when working with core cutters (up to 68 mm) - can also be used with external extractor, Machine cloth; Carrying case; Dust extraction unit; Auxiliary handle (spare part number 1 619 P06 104); 5 x seal ring (spare part number 1 619 P04 548)

Article ID: 0611250500

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved