



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH  
EDGE FORMING BIT H, 8 MM, R1 2.4  
MM, D 12.7 MM, L 12.4 MM, G 46 MM.  
FOR HAND-HELD ROUTERS**

**SKU:** 3165140358590

Edge forming bit H, 8 mm, R1 2.4 mm, D 12.7 mm, L 12.4 mm, G 46 mm. For hand-held routers

---

**Categories:** [Accessories for BOSCH professional](#), [Cutters and planing knives](#)

**Product Features:** Shank mm: 8  
Radius (R1) mm: 2,4  
Diameter (D) mm: 12,7  
Working length (L) mm: 12,4  
Total length (G) mm: 46  
Benefit HL (short): High Cutting Performance for Veining and Fluting  
Performance Claim Text: For Veining and Fluting  
(Version) Key RTB: Durability and reliable cutting results are achieved via the high-quality tungsten carbide cutter  
Specific RTB1: Bit design prevents kickbacks by limiting the generated chip-thickness  
Specific RTB2: Intended for solid wood and wood composites, appropriate for veining, fluting and profiling in panel surfaces and edges  
Material: Hardwood  
Material: Particleboard  
Material: Medium density fibreboard  
Material: Plywood  
Material: Softwood  
SOL Date: 19.07.2002  
Novelty: no

Scope of delivery:  
1 ST Edge forming bit H, 8 mm, R1 2.4 mm, D



12.7 mm, L 12.4 mm, G 46 mm. For hand-held routers |





BOSCH 2608628398  
nmax 35000 (e0.1) HW  
303 MAN 12.7x12.7x8  
094-020



## PRODUCT DESCRIPTION

The Standard for Wood Surface Profiling Bit delivers a high cutting performance for veining and fluting wooden surfaces. Durability and reliable cutting results are achieved via the high-quality tungsten carbide cutter. Also, the bit prevents kickbacks by limiting the thickness of the generated chips. It is intended for work on soft and hard solid wood and wood composites. The Standard for Wood Surface Profiling Bit is appropriate for veining, fluting and profiling in panel surfaces and edges.

Article ID: 2608628398

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.