



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
EXPERT FOR WOOD LAMINATE TRIM
BIT, 12 MM, D1 12.7 MM, L 50.8 MM, G
106.8 MM. FOR HAND-HELD ROUTERS**

SKU: 3165140802314

Expert for Wood Laminate trim bit, 12 mm, D1 12.7 mm, L 50.8 mm, G 106.8 mm. For hand-held routers

Categories: [Accessories for BOSCH](#)
[professional](#), [Cutters and planing knives](#)

Product Features: Shank mm: 12
Diameter (D) mm: 12,7
Working length (L) mm: 50,8
Total length (G) mm: 106,8
Benefit HL (short): Long Lifetime of Splinter-Free Cuts for Flush Trimming
Performance Claim Text: For Flush Trimming
(Version) Key RTB: In-house manufactured using Microteq carbide for high durability and performance in wood
Specific RTB1: Protection coating that protects bit from friction, rust and pitch build-up, extending its superior cutting lifetime
Specific RTB2: For flush trimming material in solid wood, wood composites and solid surface. Ideal for working with templates.
Specific RTB3: Ball bearing allows for easy guiding without a side fence
Material: Hardwood
Material: Particleboard
Material: Medium density fibreboard
Material: Plywood
Material: Softwood
SOL Date: 01.09.2014
Novelty: no

Scope of delivery:



1 ST Expert for Wood Laminate trim bit, 12 mm, D1 12.7 mm, L 50.8 mm, G 106.8 mm.
For hand-held routers |







PRODUCT DESCRIPTION

The Expert for Wood Laminate Flush Trim Bit is designed for a long lifetime of heavy everyday use in delivering splinter-free cuts when flush trimming. The bit is manufactured in-house using unique Microteq carbide for high durability and performance in wooden applications. It also features a Proteqtion coating that protects it from friction, rust and pitch build-up, which extends the bit's superior cutting lifetime. It is intended for flush trimming laminated and protruding material such as laminated or veneered panels in soft and hard solid wood and wooden composites as well as special materials like solid surface. The bit is also ideal for working with templates. The ball bearing allows for easy guiding directly on the workpiece without a side fence.

Article ID: 2608629384

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.