



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
FORMWORK AND INSTALLATION
DRILL BITS. FOR ROTARY
DRILLS/DRIVERS**

SKU: 3165140099332

Formwork and installation drill bits. For
rotary drills/drivers

Categories: [Accessories for BOSCH professional](#), [Drilling](#)

Product Features: Diameter (D) mm: 22,00

Total length (L2) mm: 400

Shank diameter (d) mm: 10

Benefit HL (short): Robust for Formwork

Performance Claim Text: Very Robust for
Formwork

(Version) Key RTB: The drill bit and shank end
are screw-connected, ensuring a low risk of
breakage and keeping operations running
smoothly

Specific RTB1: Tapered flute, offset drill bit
and shank ends prevent jamming in moist
wood and cut through embedded nails

Specific RTB2: Extra-long shank for versatile
drilling in multilayer building materials or
sandwich materials

Specific RTB3: Made of HSS manufactured to
DIN 7490, drill bit tip with chisel edge (118
degrees)

Material: Softwood

Material: Hardwood

Material: Drywall board

Material: Aluminium

Product text, Accessories grey: Total length
400 mm

SOL Date: 19.07.2002


Novelty: no

Scope of delivery:



1 ST Formwork and installation drill bits. For rotary drills/drivers |







PRODUCT DESCRIPTION

The Installation Drill Bit is very robust for formwork. Its drill bit and shank end are screw-connected, which ensures a low risk of breakage and improves smooth-running operations. Furthermore, its tapered flute, offset drill bit and shank ends prevent jamming even in moist wood, while maintaining enough power to cut through embedded nails. Equipped with an extra-long shank, the bit delivers versatile drilling in multilayer building materials or sandwich materials, e.g. for building trade (formwork) and for interior fitting work, plumbing, heating and electrical installation. It is suitable for use on formwork, boards, planks, beams, plasterboard, light building materials, insulations and metal, e.g. metal plates, materials sandwiched with steel, aluminium or profile sheet. Made from HSS (high-speed steel), the Installation Drill Bit is manufactured to DIN 7490. It has a drill bit tip with chisel edge of 118 degrees.

Article ID: 2608597167

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.