



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH FORSTNER DRILL BIT 20 MM. FOR ROTARY DRILLS/DRIVERS

**SKU:** 3165140857963

Forstner drill bit 20 mm. For rotary  
drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Diameter (D) mm: 20,00  
Total length (L2) mm: 90  
Shank diameter (d) mm: 8  
Benefit HL (short): Excellent Lifetime for Drilling Accurate-Fit Holes  
Performance Claim Text: Excellent Lifetime (Version) Key RTB: The tooth-edge design creates less friction and heat for increased durability  
Specific RTB1: A short centring tip with two main and one periphery (toothed-edge) cutting edges enable smooth splinter-free drilling  
Specific RTB2: Large chip-free zones for optimised chip removal and fast drilling accuracy  
Specific RTB3: 3-sided shank prevents spinning in the chuck. Manufactured to DIN 7483G, 50 HRC (min) cutter hardness  
Material: Softwood  
Material: Hardwood  
Material: Chipboard  
Material: Pressure treated lumber  
Material: Construction wood with mortar and nails  
Material: Medium density fibreboard  
Material: Multiplex board  
Product text, Accessories grey: Pack of 1  
SOL Date: 02.05.2016  
Novelty: no



Scope of delivery:

1 ST Forstner drill bit 20 mm. For rotary  
drills/drivers |







## PRODUCT DESCRIPTION

The Forstner Bit delivers excellent lifetime for drilling accurate-fit holes. Its toothed-edge design creates less friction and heat for increased durability. The precision drill bit's short centring tip has two main and one periphery (toothed-edge) cutting edges for spot-on results. Equipped with large chip-free zones, which allow for optimised chip removal, the bit's fast drilling accuracy is further supported. It enables the smooth splinter-free drilling of blind holes as well as edge and slant drilling, e.g. fixing hinges, dowelling and the removal of knotholes. Use when drilling in soft and hard wood, veneered wood and non-laminated chipboard. The Forstner Bit's 3-sided shank prevents spinning in the chuck. It is manufactured to DIN 7483G, cutter hardness is 50 HRC minimum.

Article ID: 2608577006

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.