



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## **ROBERT BOSCH POWER TOOLS GMBH HSS HEX-SHANK TWIST DRILL BIT 3.2 MM. FOR ROTARY DRILLS/DRIVERS**

**SKU:** 3165140858762

HSS Hex-Shank Twist Drill Bit 3.2 mm. For rotary drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Diameter (D) mm: 3,20  
Working length (L1) mm: 36  
Total length (L2) mm: 75  
Shank diameter (d) mm: 6,35  
Benefit HL (short): Highly Robust with Impact Drivers  
Performance Claim Text: Highly Robust (Version) Key RTB: The super-strong body is extremely robust  
Specific RTB1: Precision-ground from solid metal with an oxide-coated flute for slicing through materials with reduced wear  
Specific RTB2: Manufactured to DIN 338, drill bit Type N (flute angle) with a 135-degree tip, diameter tolerance h8  
Specific RTB3: Active cutting and perfect centring due to pointed split-point tip. 1/4-inch hex-shank for universal use  
Material: Steel  
Material: Cast iron  
Material: Metal pipes and profiles  
Material: Non-ferrous metals  
Material: Aluminium  
Material: Plastics  
Material: Metal sandwich  
Material: Steel sheets  
Product text, Accessories grey: Pack of 1  
SOL Date: 01.10.2016  
Novelty: no



Scope of delivery:

5 ST HSS Hex-Shank Twist Drill Bit 3.2 mm.

For rotary drills/drivers |







## PRODUCT DESCRIPTION

The Impact Control HSS Twist Drill Bit offers highly robust drilling in metal, especially with impact drivers. Extremely strong body is extremely robust. The twist drill bit is precision-ground from solid metal and has an oxide-coated flute, giving it an excellent surface quality for slicing through materials with reduced wear. It is suitable for use on alloyed and non-alloyed steel, cast steel, cast iron, sintered iron, non-ferrous metals, sheet metals and plastics.

Article ID: 2608577049

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.