



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH HSS HEX-SHANK TWIST DRILL BIT 7.0 MM. FOR ROTARY DRILLS/DRIVERS

SKU: 3165140858885

HSS Hex-Shank Twist Drill Bit 7.0 mm. For rotary drills/drivers

Categories: [Accessories for BOSCH professional](#), [Drilling](#)

Product Features: Diameter (D) mm: 7,00
Working length (L1) mm: 69
Total length (L2) mm: 109
Shank diameter (d) mm: 6,35
Benefit HL (short): Highly Robust with Impact Drivers
Performance Claim Text: Highly Robust (Version) Key RTB: The super-strong body is extremely robust
Specific RTB1: Precision-ground from solid metal with an oxide-coated flute for slicing through materials with reduced wear
Specific RTB2: Manufactured to DIN 338, drill bit Type N (flute angle) with a 135-degree tip, diameter tolerance h8
Specific RTB3: Active cutting and perfect centring due to pointed split-point tip. 1/4-inch hex-shank for universal use
Material: Steel
Material: Cast iron
Material: Metal pipes and profiles
Material: Non-ferrous metals
Material: Aluminium
Material: Plastics
Material: Metal sandwich
Material: Steel sheets
Product text, Accessories grey: Pack of 1
SOL Date: 01.10.2016
Novelty: no



Scope of delivery:

5 ST HSS Hex-Shank Twist Drill Bit 7.0 mm.

For rotary drills/drivers |







PRODUCT DESCRIPTION

The Impact Control HSS Twist Drill Bit offers highly robust drilling in metal, especially with impact drivers. Extremely strong body is extremely robust. The twist drill bit is precision-ground from solid metal and has an oxide-coated flute, giving it an excellent surface quality for slicing through materials with reduced wear. It is suitable for use on alloyed and non-alloyed steel, cast steel, cast iron, sintered iron, non-ferrous metals, sheet metals and plastics.

Article ID: 2608577060

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.