



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH HSS POINTTEQ HEX DRILL BIT 3.2MM. FOR ROTARY DRILLS/DRIVERS

**SKU:** 6949509231352

HSS PointTeQ Hex Drill Bit 3.2mm. For rotary drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Diameter (D) mm: 3,20  
Working length (L1) mm: 36  
Total length (L2) mm: 75  
Benefit HL (short): Fast Drilling in Metal  
Performance Claim Text: Fast Drilling in Metal  
(Version) Key RTB: High-speed drilling rates reduce heat generation and bit wear;  
PointTeQ tip ensures continual sharpness and durability  
Specific RTB1: Self-centring tip prevents wandering for quick drilling starts; black-oxide-coated flute provides fast chip removal  
Specific RTB2: Hex shank ensures a firm connection between bit and drill, and strengthens bit's body for reduced risk of breakage  
Specific RTB3: Split-point tip for active cutting and perfect centring; Type N (flute angle) with 135° tip, DIN 338  
Material: Steel  
Material: Cast iron  
Material: Metal pipes and profiles  
Material: Non-ferrous metals  
Material: Aluminium  
Material: Plastics  
Material: Metal sandwich  
Material: Steel sheets  
Product text, Accessories grey: Pack of 1  
SOL Date: 01.01.2020  
Novelty: no  
Novelty until: 01.07.2020



Scope of delivery:  
5 ST HSS PointTeQ Hex Drill Bit 3.2mm. For  
rotary drills/drivers |







## PRODUCT DESCRIPTION

The HSS Twist Drill Bit PointTeQ with hex shank delivers fast results when drilling in metal. Designed for high-speed drilling, it generates minimal heat and bit wear, and features a PointTeQ tip design that ensures continual sharpness and high durability. Its self-centring tip prevents wandering and enables quick and easy drilling starts, while its black-oxide-coated flute provides fast chip removal. For even higher reliability, the bit's hex shank offers stability and a firm lock between the bit and chuck, strengthening the bit's body and reducing the risk of breakage for drill bits below 6 mm in diameter. The HSS Twist Drill Bit PointTeQ's split-point tip allows for active cutting and perfect centring. Drill bit Type N (flute angle) with 135° tip, manufactured to DIN 338.

Article ID: 2608577520

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.