



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH IMPACT DRILL ADVANCEDIMPACT 900

**SKU:** 3165140840910

Impact Drill AdvancedImpact 900

**Categories:** [BOSCH Power tools DIY and gardening](#), [Drills and screwdrivers](#)

**Product Features:** Output power, max.: 1.050 W  
Power input: 900 W  
Rated torque, 1st gear: 1,6 Nm  
Rated torque, 2st gear: 0,5 Nm  
Rated torque (1st gear / 2nd gear): 1.6 / 0.5 Nm  
No-load speed, 1st gear, from: 50 rpm  
No-load speed, 1st gear, up to: 1.120 rpm  
No-load speed, 2nd gear, up to: 2.850 rpm  
No-load speed (1st gear / 2nd gear): 50 - 1,120 / 2,850 rpm  
Impact rate: 48.450 bpm  
Max. drilling diameter in steel: 13 mm  
Max. drilling diameter in steel (1st gear): 13 mm  
Max. drilling diameter in steel (2nd gear): 8 mm  
Max. drilling dia. in steel (1st gear / 2nd gear): 13 / 8 mm  
Max. drilling diameter in wood: 40 mm  
Max. drilling diameter in wood (1st gear): 40 mm  
Max. drilling diameter in wood (2nd gear): 25 mm  
Max. drilling dia. in wood (1st gear / 2nd gear): 40 / 25 mm  
Keyless chuck: yes  
Keyed chuck: no  
Bosch Press + Lock: no  
2-speed gearbox: yes  
Bosch Auto-Lock: yes  
Speed preselection: yes



Bosch Constant Electronic: yes  
2.5 m cable: yes  
4 m cable: no  
Right-hand/left-hand rotation: yes  
Bosch Electronic: yes  
Softgrip: yes  
Application: screwdriving / drill. / impact drill.: yes  
Bosch Kickback Control: yes  
Vibration emission value ah [Drilling in metal]: 6,5 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Impact drilling in concrete]: 20,0 m/s<sup>2</sup>  
Uncertainty K [Impact drilling in concrete]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]: 2,5 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>  
Voltage: 240 V  
Stall torque in accordance with EN 60745: 73,0 Nm  
Micro-filter system, drilling: no  
Tool dimensions (L x W x H): 370 x 386 x 113 mm  
Weight: 2,6 kg  
Packaging dimensions (length): 370 mm  
Packaging dimensions (width): 386 mm  
Packaging dimensions (height): 113 mm  
Packaging dimensions (L x W x H): 370 x 386 x 113 mm  
Product short description: The ultimate impact drill for projects with the highest demands  
TOP product characteristics: KickBack Control for added safety  
TOP product characteristics: 2-speed gearbox for adapting to broader range of applications  
TOP product characteristics: Bosch Speed Preselection and Constant Speed for efficient drilling  
TOP product characteristics: Effortless drilling in masonry up to 18 mm and wood up to 40 mm  
Product category subdivision: Impact Drill  
Usage level: Advanced  
Title: Impact Drill AdvancedImpact 900  
Scope of supply: Auxiliary handle (2 609 256



D94)

Scope of supply: Depth stop (2 603 001 019)

Scope of supply: Plastic case

SOL Date: 01.04.2017

Novelty: no

Novelty until: 01.10.2017

Scope of delivery:

1 ST Impact Drill AdvancedImpact 900 |

## PRODUCT DESCRIPTION

Impact Drill AdvancedImpact 900, The ultimate impact drill for projects with the highest demands, KickBack Control for added safety, 2-speed gearbox for adapting to broader range of applications, Bosch Speed Preselection and Constant Speed for efficient drilling, Effortless drilling in masonry up to 18 mm and wood up to 40 mm, Auxiliary handle (2 609 256 D94), Depth stop (2 603 001 019), Plastic case

Article ID: 0603174000

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.