



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH JIGSAW GST 150 CE

**SKU:** 3165140618847

Jigsaw GST 150 CE

**Categories:** [BOSCH professional](#), [Saws](#)

### **Product Features:** Packaging dimensions

(width): 361 mm

Packaging dimensions (length): 444 mm

Packaging dimensions (height): 154 mm

Packaging dimensions (width x length x height): 361 x 444 x 154 mm

Voltage, electrical: 230 V

Rated input power: 780 W

Cable length: 4 m

Saw, stroke length: 26 mm

Cutting depth in wood: 150 mm

Stroke rate at no load, from: 500 spm

Stroke rate at no load, up to: 3.100 spm

Stroke rate at no load: 500 - 3,100 spm

Weight: 2,6 kg

Tool dimensions (width): 79 mm

Tool dimensions (length): 334 mm

Tool dimensions (height): 190 mm

Cutting depth in aluminium: 20 mm

Cutting depth in steel: 10 mm

Cutting depth in non-alloyed steel: 10 mm

Vibration emission value ah [Sawing wood]:  
8,0 m/s<sup>2</sup>

Uncertainty K [Sawing wood]: 1,5 m/s<sup>2</sup>

Vibration emission value ah [Sawing sheet metal]: 7,0 m/s<sup>2</sup>

Uncertainty K [Sawing sheet metal]: 1,5 m/s<sup>2</sup>

Product category subdivision: Jigsaw

Positioning: Robust barrel grip jigsaw for tough applications

User benefit incl. Reason to believe: Barrel grip makes the tool easy to manoeuvre, for smooth handling even when cutting from underneath



User benefit incl. Reason to believe: Bend-resistant, extremely robust sole plate ensures high performance in even the toughest jobs

User benefit incl. Reason to believe: Reliable 780 W motor and constant speed enable cuts in hardest materials, such as thick beams

Positioning (BE): The most powerful tool in its price class

User benefit incl. Reason to believe (BE): High power reserves, even in hard and thick beams, due to powerful and overload-capable 780-watt motor

User benefit incl. Reason to believe (BE): Extremely robust and bend-resistant sole plate for the toughest jobs

User benefit incl. Reason to believe (BE): High cutting precision due to new saw blade clamping system

Areas of application: Sawing concrete

Areas of application: Sawing ferrous metals

Areas of application: Sawing wood

Areas of application: Sawing synthetic material

Areas of application: Sawing solid surface material

Areas of application: Sawing natural materials

Areas of application: Sawing non-ferrous metal

Areas of application: Sawing stone

Title: Jigsaw GST 150 CE Professional

Novelty: no

Scope of supply: Glide shoe (spare part number 2 601 099 183)

Scope of supply: Hood (spare part number 2 605 510 293)

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: Suction nozzle (spare part number 2 605 730 055)

Scope of supply: 1 x jigsaw blade T 144 D, Speed for Wood (available separately as set of 3: 2 608 630 560)

Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A00 2UP)

Scope of supply: Anti-splinter guard (2 601 016 093)

SOL Date: 01.01.2011



Scope of delivery:  
1 ST Jigsaw GST 150 CE |

## PRODUCT DESCRIPTION

Jigsaw GST 150 CE, The GST 150 CE Professional is a corded, robust jigsaw for tough applications. Its barrel grip makes the tool easy to manoeuvre, for smooth handling during operation even when cutting a workpiece from underneath. The jigsaw features a bend-resistant, extremely robust sole plate that ensures high performance in even the toughest jobs. Its reliable 780 W motor and constant speed deliver cuts also in the hardest materials such as thick beams. This tool is intended for curved cutting in solid wood, chipboard, and wood composites. It is compatible with the Bosch Click & Clean System as well as with other Bosch vacuum cleaners. The GST 150 CE Professional is also suitable for beveled cuts and features a blower, orbital action, toolfree SDS saw blade changes, and speed selection. Glide shoe (spare part number 2 601 099 183); Hood (spare part number 2 605 510 293); L-BOXX 136 (1 600 A01 2G0); Suction nozzle (spare part number 2 605 730 055); 1 x jigsaw blade T 144 D, Speed for Wood (available separately as set of 3: 2 608 630 560); 1/1 L-BOXX inlay for tool (1 600 A00 2UP); Anti-splinter guard (2 601 016 093)

Article ID: 0601512003

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.