



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH JIGSAW GST 160 BCE

SKU: 3165140746274

Jigsaw GST 160 BCE

Categories: [BOSCH professional](#), [Saws](#)

Product Features: Packaging dimensions (width): 359 mm

Packaging dimensions (length): 447 mm

Packaging dimensions (height): 156 mm

Packaging dimensions (width x length x height): 359 x 447 x 156 mm

Voltage, electrical: 230 V

Rated input power: 800 W

Saw, stroke length: 26 mm

Cutting depth in wood: 160 mm

Stroke rate at no load, from: 800 spm

Stroke rate at no load, up to: 3.000 spm

Stroke rate at no load: 800 - 3,000 spm

Weight: 2,3 kg

Tool dimensions (width): 76 mm

Tool dimensions (length): 277 mm

Tool dimensions (height): 215 mm

Cutting depth in aluminium: 20 mm

Cutting depth in steel: 10 mm

Cutting depth in non-alloyed steel: 10 mm

Vibration emission value ah [Sawing wood]: 6,5 m/s²

Uncertainty K [Sawing wood]: 1,5 m/s²

Vibration emission value ah [Sawing sheet metal]: 3,5 m/s²

Uncertainty K [Sawing sheet metal]: 1,5 m/s²

Product category subdivision: Jigsaw

Positioning: Precise bow handle jigsaw for high-end applications

User benefit incl. Reason to believe: Optimal tool control due to bow handle with narrow grip and variable speed trigger and compact, lightweight design

User benefit incl. Reason to believe: Patented



double roller saw blade guidance reduces bending for excellent precision

User benefit incl. Reason to believe: Reliable 800 W motor and constant speed deliver cuts in even the hardest materials

Positioning (BE): Superb precision: complete control for clean cuts!

User benefit incl. Reason to believe (BE): Compact, lightweight design with small grip circumference enables optimum control when sawing

User benefit incl. Reason to believe (BE): High-precision saw blade guidance due to patented double roller reduces saw blade bending - for excellent cut precision

User benefit incl. Reason to believe (BE): Powerful 800 watt motor with Constant Electronic offers power reserves even in hard materials

Areas of application: Sawing concrete

Areas of application: Sawing ferrous metals

Areas of application: Sawing wood

Areas of application: Sawing synthetic material

Areas of application: Sawing solid surface material

Areas of application: Sawing natural materials

Areas of application: Sawing non-ferrous metal

Areas of application: Sawing stone

Title: Jigsaw GST 160 BCE Professional

Novelty: no

Scope of supply: Dust extraction adapter

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: Anti-splinter guard (2 601 016 096)

Scope of supply: 1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)

Scope of supply: 1 x jigsaw blade T 244 D, Speed for Wood (available separately as set of 3: 2 608 630 879)

Scope of supply: 1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)

Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A00 2UN)



SOL Date: 01.09.2013

Scope of delivery:
1 ST Jigsaw GST 160 BCE |

PRODUCT DESCRIPTION

Jigsaw GST 160 BCE, The GST 160 BCE Professional corded jigsaw offers precision for high-end applications. Optimal tool control is ensured by its bow handle with narrow grip and variable speed trigger as well as by its compact, lightweight design. The jigsaws patented double roller saw blade guidance reduces bending, delivering excellent cutting precision. Its reliable 800 W motor and constant speed deliver cuts in even the hardest materials. This tool is intended for curved cutting in solid wood, chipboard, and wood composites. It is compatible with the Bosch Click & Clean dust extraction system and other Bosch vacuum cleaners as well as with guide rails via an adapter. The GST 160 BCE Professional also makes bevelled cuts and features a blower, an LED light, orbital action, precision control, speed selection, and tool-free SDS saw blade changes. Dust extraction adapter; L-BOXX 136 (1 600 A01 2G0); Anti-splinter guard (2 601 016 096); 1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31); 1 x jigsaw blade T 244 D, Speed for Wood (available separately as set of 3: 2 608 630 879); 1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399); 1/1 L-BOXX inlay for tool (1 600 A00 2UN)

Article ID: 0601518000

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.