



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH MORTAR RAKING CHISEL SDS PLUS. FOR ROTARY HAMMER DRILLS

SKU: 3165140790505

Mortar raking chisel SDS plus. For rotary hammer drills

Categories: [Accessories for BOSCH professional](#), [Chisels](#)

Product Features: Total length mm: 200

Thickness mm: 6,5

Shank, shape: SDS plus

Benefit HL (short): For Removing Mortar Between Bricks

Performance Claim Text: Removing Mortar Between Bricks

(Version) Key RTB: Design of the chisel offers precise and fast progress even in complex angles without damaging the bricks for ease of use

Specific RTB1: Flat scraper design ensures efficient material removal and prevents the chisel from becoming stuck in the joint

Specific RTB2: Effective mortar-breaking edge allows for easy guidance in the centre of the joint and prebreaking of the mortar

Specific RTB3: Has two thicknesses to fit all standard mortar joints and to ensure precise fit between bricks

Material: Mortar

Product text, Accessories grey: Mortar Raking Chisel

Product text, Accessories grey: For removing mortar between bricks

SOL Date: 07.07.2014

Novelty: no

Scope of delivery:

1 ST Mortar raking chisel SDS plus. For rotary



hammer drills |







PRODUCT DESCRIPTION

The SDS plus Mortar Raking Chisel is ideal for removing mortar between bricks. The design of the chisel offers precise and fast progress even in complex angles without damaging the bricks for exceptional ease of use. Its flat scraper design ensures efficient material removal and prevents the chisel from becoming stuck in the joint. Additionally, for easy guidance and control in the centre of the joint and to allow prebreaking of the mortar, it is equipped with an effective mortar-breaking edge. The chisel is intended for use in mortar and brick to remove mostly vertical mortar joints. The SDS plus Mortar Raking Chisel has two thicknesses to fit all standard mortar joints and to ensure precise fit between bricks.

Article ID: 2608690200

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.