



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH MULTI-CUTTER GOP 55-36

SKU: 3165140816908

Multi-Cutter GOP 55-36

Categories: BOSCH professional, Multi-

Cutter

Product Features: Packaging dimensions

(width): 356 mm

Packaging dimensions (length): 444 mm Packaging dimensions (height): 142 mm Packaging dimensions (width x length x

height): 356 x 444 x 142 mm Rated input power: 550 W

Oscillation angle on left and right: 1,8 ° No-load oscillation, from: 8.000 opm No-load oscillation, up to: 20.000 opm No-load oscillation: 8,000 - 20,000 opm

Weight: 1,6 kg

Vibration emission value ah [Grinding]: 3,5

m/s²

Uncertainty K [Grinding]: 1,5 m/s²
Vibration emission value ah [Sawing with plunge-cutting saw blade]: 10,5 m/s²

Uncertainty K [Sawing with plunge-cutting

saw blade]: 1,5 m/s²

Vibration emission value ah [Sawing with

segment saw blade]: 6,5 m/s²

Uncertainty K [Sawing with segment saw blade]: 1,5 m/s²

Vibration emission value ah [Scraping]: 6,5 m/s²

Uncertainty K [Scraping]: 1,5 m/s²

Product category subdivision: Multi-Cutter Positioning: Best performance for toughest applications in the Bosch StarlockMax category

User benefit incl. Reason to believe: 550 W motor and superior Starlock interface with optimised 3-dimensional tight fit for best





power transfer

User benefit incl. Reason to believe: Highly durable due to robust metal components
User benefit incl. Reason to believe: Snap-in function enables fast and easy tool accessory changes

Positioning (BE): More applications - more performance!

User benefit incl. Reason to believe (BE): The most powerful GOP, especially robust and powerful

User benefit incl. Reason to believe (BE): StarlockMax category tool ensures an extreme work rate

User benefit incl. Reason to believe (BE): Snap-in function for tool-free accessory changes in 3 seconds

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing wood Areas of application: Brushing non-ferrous metal

Areas of application: Brushing stone Areas of application: Routing in concrete Areas of application: Routing in ferrous

metals

Areas of application: Routing in non-ferrous

metal

Areas of application: Routing in synthetic

material

Areas of application: Routing in stone Areas of application: Sawing concrete Areas of application: Sawing ferrous metals

Areas of application: Sawing wood Areas of application: Sawing synthetic

material

Areas of application: Sawing natural

materials

Areas of application: Sawing non-ferrous

metal

Areas of application: Sawing stone Areas of application: Scraping coating

material

Areas of application: Scraping concrete Areas of application: Scraping synthetic

material

Areas of application: Scraping stone





Areas of application: Sanding coating

materia

Areas of application: Grinding concrete
Areas of application: Sanding ferrous metals

Areas of application: Sanding wood Areas of application: Sanding synthetic

material

Areas of application: Sanding solid surface

material

Areas of application: Sanding natural

materials

Areas of application: Sanding non-ferrous

metal

Areas of application: Grinding stone

Areas of application: Cutting coating material

Areas of application: Cutting concrete Areas of application: Cutting synthetic

material

Areas of application: Cutting natural

materials

Areas of application: Cutting stone

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting non-ferrous

metal

Title: Multi-Cutter GOP 55-36 Professional

Novelty: no

Scope of supply: 1 x Starlock BIM segment saw blade ACZ 100 BB, Wood + Metal (2 608 661 633)

Scope of supply: 1 x Starlock Carbide-RIFF sanding plate AVZ 78 RT2, Grout + Abrasive (2 608 661 648)

Scope of supply: 1 x Starlock Carbide-RIFF segment saw blade ACZ 85 RT3, Grout +

Abrasive (2 608 661 642)

Scope of supply: 1 x StarlockMax BIM plunge cut saw blade MAIZ 32 APB, Curved-Tec,

Wood + Metal (2 608 662 571)

Scope of supply: 1 x StarlockMax BIM plunge cut saw blade MAII 52 APB, Curved-Tec, Wood

+ Metal (2 608 662 574)

Scope of supply: 1 x StarlockMax Carbide plunge cut saw blade MAIZ 32 AT, Metal (2 608 662 567)

Scope of supply: 1 x StarlockMax Carbide-RIFF plunge cut saw blade MATI 68 RT3, Grout + Abrasive (2 608 662 577)





Scope of supply: 1 x StarlockMax HCS plunge cut saw blade MAII 32 SC, Multi Material (2 608 662 583)

Scope of supply: 1 x StarlockMax HCS plunge cut saw blade MAIZ 32 EPC, Curved-Tec, Wood (2 608 662 568)

Scope of supply: 25 x sanding sheet, K 10x80, 10x120, 5x240 (2 608 621 105)

Scope of supply: 1 x Starlock delta sanding plate AVZ 93 G (2 608 000 493)

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: Starlock vacuum adapter with clamping neck (2 608 000 636)

SOL Date: 04.04.2016

Scope of delivery: 1 ST Multi-Cutter GOP 55-36 |

PRODUCT DESCRIPTION

Multi-Cutter GOP 55-36, The GOP 55-36 Professional corded multi-tool delivers the best performance for the toughest applications in the Bosch StarlockMax category. It features an impressively strong 550 W motor combined with a superior Starlock interface with an optimised 3-dimensional tight-fitting connection between the machine and accessory for the highest possible power transmission. The multitool is also built for durability, featuring robust metal components. Furthermore, its Snap-in function enables fast and easy tool accessory changes. This tool is intended for dismantling windows, renovating expansion joints, and cutting slots in timber frame constructions. It can be used in wood, plastic, and metal. It is compatible with the Starlock, StarlockPlus, and StarlockMax systems. The GOP 55-36 Professional corded multi-tool features include Constant Speed, soft grip, and Speed Selection. 1 x Starlock BIM segment saw blade ACZ 100 BB, Wood + Metal (2 608 661 633); 1 x Starlock Carbide-RIFF sanding plate AVZ 78 RT2, Grout + Abrasive (2 608 661 648); 1 x Starlock Carbide-RIFF segment saw blade ACZ 85 RT3, Grout + Abrasive (2 608 661 642); 1 x StarlockMax BIM plunge cut saw blade MAIZ 32 APB, Curved-Tec, Wood + Metal (2 608 662 571); 1 x StarlockMax BIM plunge cut saw blade MAII 52 APB, Curved-Tec, Wood + Metal (2 608 662 574); 1 x StarlockMax Carbide plunge cut saw blade MAIZ 32 AT, Metal (2 608 662 567); 1 x StarlockMax Carbide-RIFF plunge cut saw blade MATI 68 RT3, Grout + Abrasive (2 608 662 577); 1 x StarlockMax HCS plunge cut saw blade MAII 32 SC, Multi Material (2 608 662 583); 1 x StarlockMax HCS plunge cut saw blade MAIZ 32 EPC, Curved-Tec, Wood (2 608 662 568); 25 x sanding sheet, K 10x80, 10x120, 5x240 (2 608 621 105); 1 x Starlock delta sanding plate AVZ 93 G (2 608 000 493); L-BOXX 136 (1 600 A01 2G0); Starlock vacuum adapter with clamping neck (2 608 000 636)

Article ID: 0601231101

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information

Copyright © 2023 Actik Tools





about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved