



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH MULTIFUNCTION TOOL PMF 250 CES SET

**SKU:** 3165140851015

Multifunction Tool PMF 250 CES Set

---

**Categories:** [BOSCH Power tools DIY and gardening](#), [Multifunctional tools](#)

**Product Features:** Power input: 250 W  
Power output: 140 W  
No-load speed, from: 15.000 rpm  
No-load speed, up to: 20.000 rpm  
No-load speed: 15,000 - 20,000 rpm  
Oscillation Angle: 1,4 °  
Oscillation angle: yes  
Bosch Electronic: yes  
Speed preselection: no  
Softgrip: yes  
In a set with additional accessories: no  
Vibration emission value ah [Grinding]: 9,0 m/s<sup>2</sup>  
Uncertainty K [Grinding]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Sawing with plunge-cutting saw blade]: 17,0 m/s<sup>2</sup>  
Uncertainty K [Sawing with plunge-cutting saw blade]: 2,0 m/s<sup>2</sup>  
Vibration emission value ah [Sawing with segment saw blade]: 18,5 m/s<sup>2</sup>  
Uncertainty K [Sawing with segment saw blade]: 3,0 m/s<sup>2</sup>  
Vibration emission value ah [Scraping]: 16,0 m/s<sup>2</sup>  
Uncertainty K [Scraping]: 1,5 m/s<sup>2</sup>  
Voltage: 230 V  
Tool dimensions (L x W x H): 386 x 291 x 112 mm  
Weight: 1,2 kg  
Packaging dimensions (length): 386 mm  
Packaging dimensions (width): 291 mm  
Packaging dimensions (height): 112 mm



Packaging dimensions (L x W x H): 386 x 291 x 112 mm

Product short description: The powerful all-rounder - saws, cuts, sands and scrapes even in hard-to-reach areas

TOP product characteristics: Versatile due to a wide range of accessories

TOP product characteristics: A true all-rounder, especially when detailed work is required

TOP product characteristics: Bosch SDS system - quick and easy accessory changes without the need for a key

TOP product characteristics: Powerful 250 watt motor - powerful with Softstart

TOP product characteristics: Bosch Constant Electronic - ensures consistently high power even under load

TOP product characteristics: Continuously variable preselection of the oscillation rate - for material-specific work

TOP product characteristics: Oscillation: 15,000 - 20,000 oscillations per minute at 2.8 angular degrees

TOP product characteristics: With 4-stage depth stop - for limiting the depth of cut

TOP product characteristics: With auxiliary handle for optimum control

TOP product characteristics: Possibility to connect an all-purpose vacuum cleaner - for dust-free sanding

Product category subdivision: Multifunction Tool

Usage level: Advanced

Standard of comparison: Multifunction Tool

Title: Multifunction Tool PMF 250 CES Set

Scope of supply: BIM segment saw blade

Wood and Metal, 85 mm, ACZ 85 EB (2 609 256 943)

Scope of supply: Carbide plunge cut saw blade, Metal, 40 x 32 mm, AIZ 32 AT (2 609 256 C65)

Scope of supply: Delta sanding plate 93 mm, AVZ 93 G (2 609 256 956)

Scope of supply: Delta sanding sheet set (2 609 256 A54)

Scope of supply: Dust extraction (2 609 256 D57)



Scope of supply: HCS Multi blade, 24 x 11 mm, ASZ 32 SC (2 609 256 D22)  
Scope of supply: Carton  
SOL Date: 03.10.2016  
Novelty: no

Scope of delivery:  
1 ST Multifunction Tool PMF 250 CES Set |

## PRODUCT DESCRIPTION

Multifunction Tool PMF 250 CES Set, The powerful all-rounder - saws, cuts, sands and scrapes even in hard-to-reach areas, Versatile due to a wide range of accessories, A true all-rounder, especially when detailed work is required, Bosch SDS system - quick and easy accessory changes without the need for a key, Powerful 250 watt motor - powerful with Softstart, Bosch Constant Electronic - ensures consistently high power even under load, Continuously variable preselection of the oscillation rate - for material-specific work, Oscillation: 15,000 - 20,000 oscillations per minute at 2.8 angular degrees, With 4-stage depth stop - for limiting the depth of cut, With auxiliary handle for optimum control, Possibility to connect an all-purpose vacuum cleaner - for dust-free sanding, BIM segment saw blade Wood and Metal, 85 mm, ACZ 85 EB (2 609 256 943), Carbide plunge cut saw blade, Metal, 40 x 32 mm, AIZ 32 AT (2 609 256 C65), Delta sanding plate 93 mm, AVZ 93 G (2 609 256 956), Delta sanding sheet set (2 609 256 A54), Dust extraction (2 609 256 D57), HCS Multi blade, 24 x 11 mm, ASZ 32 SC (2 609 256 D22), Carton

Article ID: 0603102101

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.