



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH MULTIFUNCTION TOOL PMF 350 CES

SKU: 3165140828567

Multifunction Tool PMF 350 CES

Categories: [BOSCH Power tools DIY and gardening](#), [Multifunctional tools](#)

Product Features: Power input: 350 W
Power output: 185 W
No-load speed, from: 15.000 rpm
No-load speed, up to: 20.000 rpm
No-load speed: 15,000 - 20,000 rpm
Oscillation Angle: 2,8 °
Weight: 1,6 kg
Oscillation angle: yes
Bosch Electronic: yes
Speed preselection: no
Softgrip: no
In a set with additional accessories: no
Vibration emission value ah [Grinding]: 6,0 m/s²
Vibration emission value ah [Grinding]: 5,0 m/s²
Uncertainty K [Grinding]: 1,5
Uncertainty K [Grinding]: 1,5 m/s²
Vibration emission value ah [Sawing with plunge-cutting saw blade]: 13,0 m/s²
Vibration emission value ah [Sawing with plunge-cutting saw blade]: 10,0 m/s²
Uncertainty K [Sawing with plunge-cutting saw blade]: 3,0
Uncertainty K [Sawing with plunge-cutting saw blade]: 2,0 m/s²
Vibration emission value ah [Sawing with segment saw blade]: 10,0 m/s²
Vibration emission value ah [Sawing with segment saw blade]: 12,0 m/s²
Uncertainty K [Sawing with segment saw blade]: 3,0
Uncertainty K [Sawing with segment saw blade]: 3,0



blade]: 3,0 m/s²

Vibration emission value ah [Scraping]: 12,0 m/s²

Vibration emission value ah [Scraping]: 10,0 m/s²

Uncertainty K [Scraping]: 1,5

Uncertainty K [Scraping]: 1,5 m/s²

Voltage: 230 V

Tool dimensions (L x W x H): 386 x 291 x 112 mm

Packaging dimensions (length): 386 mm

Packaging dimensions (width): 291 mm

Packaging dimensions (height): 112 mm

Packaging dimensions (L x W x H): 386 x 291 x 112 mm

Product short description: Versatile, powerful solution for tackling a wide range of tough DIY projects

TOP product characteristics: High-performance 350 W motor with electronic speed preselection

TOP product characteristics: 180° light band for optimal illumination of the working area

TOP product characteristics: Bosch AutoClc system enables 3-second, keyless accessory changes

TOP product characteristics: Wide range of Starlock accessories available for multiple applications

TOP product characteristics: Cut, saw, sand, scrape, route, rasp, and polish a wide range of materials

Product category subdivision: Multifunction Tool

Usage level: Advanced

Standard of comparison: Multifunction Tool

Title: Multifunction Tool PMF 350 CES

Scope of supply: Anti-vibration handle (2 609 256 D59)

Scope of supply: BIM plunge cut saw blade Wood and Metal, 65 x 50 mm, PAI 65 APB (2 609 256 D56)

Scope of supply: BIM segment saw blade Wood and Metal, 85 mm, ACZ 85 EB (2 609 256 943)

Scope of supply: Delta sanding plate 93 mm, AVZ 93 G (2 609 256 956)

Scope of supply: Delta sanding sheet set (2



609 256 A54)

Scope of supply: Dust extraction (2 609 256 D57)

Scope of supply: HCS plunge-cutting saw blade for wood, 32 x 40 mm, AIZ 32 EPC (2 609 256 947)

Scope of supply: 4-stage depth stop for segment saw blades (2 609 256 C61)

Scope of supply: Carrying case

SOL Date: 04.04.2016

Novelty: no

Scope of delivery:

1 ST Multifunction Tool PMF 350 CES |

PRODUCT DESCRIPTION

Multifunction Tool PMF 350 CES, Versatile, powerful solution for tackling a wide range of tough DIY projects, High-performance 350 W motor with electronic speed preselection, 180° light band for optimal illumination of the working area, Bosch AutoClic system enables 3-second, keyless accessory changes, Wide range of Starlock accessories available for multiple applications, Cut, saw, sand, scrape, route, rasp, and polish a wide range of materials, Anti-vibration handle (2 609 256 D59), BIM plunge cut saw blade Wood and Metal, 65 x 50 mm, PAII 65 APB (2 609 256 D56), BIM segment saw blade Wood and Metal, 85 mm, ACZ 85 EB (2 609 256 943), Delta sanding plate 93 mm, AVZ 93 G (2 609 256 956), Delta sanding sheet set (2 609 256 A54), Dust extraction (2 609 256 D57), HCS plunge-cutting saw blade for wood, 32 x 40 mm, AIZ 32 EPC (2 609 256 947), 4-stage depth stop for segment saw blades (2 609 256 C61), Carrying case

Article ID: 0603102200

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.