



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ORBITAL SANDER GSS 160 MULTI

SKU: 3165140785907

Orbital Sander GSS 160 Multi

Categories: BOSCH professional, Grinder & Planer

Product Features: Packaging dimensions

(width): 177 mm

Packaging dimensions (length): 224 mm Packaging dimensions (height): 144 mm Packaging dimensions (width x length x

height): 177 x 224 x 144 mm Voltage, electrical: 230 V

Weight: 1,2 kg

Tool dimensions (width): 113 mm
Tool dimensions (length): 258 mm
Tool dimensions (height): 142 mm
Sanding plate, width: 113 mm
Sanding plate, length: 101 mm
Rated input power: 180 W
No-load speed, from: 12.000 rpm

No-load speed: 12,000 rpm

No-load orbital stroke rate, from: 24.000 opm No-load orbital stroke rate: 24,000 opm

Orbit diameter: 1,6 mm

Sanding sheet for clamping, width: 115 mm Sanding sheet for clamping, length: 140 mm Sanding sheet with hook-and-loop fastening,

width: 115 mm

Sanding sheet with hook-and-loop fastening,

length: 107 mm

Vibration emission value ah [Sanding panel

materials]: 5,0 m/s²

Uncertainty K [Sanding panel materials]: 1,5

m/s²

Product category subdivision: Orbital Sander Positioning: Compact and ergonomic orbital sander with robust clamping system for small

surfaces





Long version part 1: The GSS 140-1 A Professional is Bosch's compact and ergonomic corded orbital sander with a robust clamping system for small surfaces. It features an ergonomic palm rest and compact design for easy, comfortable handling. Durability for extended use is provided by a robust metal sheet. The clamping system with hook-and-loop foam pad is designed for the easy changing and replacing of sanding paper. Long version part 2: The orbital sander is intended for small flat surfaces, in-between sanding, and surface finishing. It is applicable on wood, veneer, lacquer, filler as well as mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System. Long version part 3: The GSS 140-1 A Professional also includes a dust box with a built-in Bosch Micro Filter System, interchangeable pads and is designed to enable one-handed use. User benefit incl. Reason to believe: Features an ergonomic palm rest and compact design for easy, comfortable handling User benefit incl. Reason to believe: Robust metal sheet provides tool durability User benefit incl. Reason to believe: Clamping system with hook-and-loop foam pad designed for the easy sanding paper changes Positioning (BE): Fatigue free & robust clamping design for long hours sanding job Long version part 1 (BE): The GSS 140-1 A Professional is Bosch's compact and ergonomic corded orbital sander with a robust clamping system for small surfaces. It features an ergonomic palm rest and compact design for easy, comfortable handling. Durability for extended use is provided by a robust metal sheet. The clamping system with hook-and-loop foam pad is designed for the easy changing and replacing of sanding paper. The orbital sander is intended for small flat surfaces, inbetween sanding, and surface finishing. It is applicable on wood, veneer, lacquer, filler as well as mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean





System.

Long version part 2 (BE): The GSS 140-1 A Professional also includes a dust box with a built-in Bosch Micro Filter System, interchangeable pads and is designed to enable one-handed use.

User benefit incl. Reason to believe (BE): Welldesign clamping system, strong, durable, easy to operate and replace

User benefit incl. Reason to believe (BE):
Strong felt pad with metal sheet for longer lifetime, less vibration and easy to replace
User benefit incl. Reason to believe (BE):
Ergonomic handle for fatigueless work
Areas of application: Sanding coating material

Areas of application: Sanding ferrous metals

Areas of application: Sanding wood Areas of application: Sanding synthetic

material

Areas of application: Sanding solid surface

material

Areas of application: Sanding natural

materials

Areas of application: Sanding non-ferrous

metal

Areas of application: Grinding stone Title: Orbital Sander GSS 160 Multi

Professional Novelty: no

Novelty until: 01.06.2016

Scope of supply: Cardboard box

Scope of supply: Hole punch (2 608 190 059) Scope of supply: Sanding paper 120 K Scope of supply: Dust box (2 605 411 240)

incl. Microfilter (2 605 411 241)

Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as

set of 10: 2 608 607 458)

Scope of supply: Base plate, 113 x 101 mm (2 608 601 446) with sanding plate (2 608 601

443)

SOL Date: 01.03.2015

Scope of delivery:

1 ST Orbital Sander GSS 160 Multi |





PRODUCT DESCRIPTION

Orbital Sander GSS 160 Multi, The GSS 140-1 A Professional is Bosch's compact and ergonomic corded orbital sander with a robust clamping system for small surfaces. It features an ergonomic palm rest and compact design for easy, comfortable handling. Durability for extended use is provided by a robust metal sheet. The clamping system with hook-and-loop foam pad is designed for the easy changing and replacing of sanding paper. The orbital sander is intended for small flat surfaces, in-between sanding, and surface finishing. It is applicable on wood, veneer, lacquer, filler as well as mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System. The GSS 140-1 A Professional also includes a dust box with a built-in Bosch Micro Filter System, interchangeable pads and is designed to enable one-handed use. Cardboard box; Hole punch (2 608 190 059); Sanding paper 120 K; Dust box (2 605 411 240) incl. Microfilter (2 605 411 241); 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 458); Base plate, 113 x 101 mm (2 608 601 446) with sanding plate (2 608 601 443)

Article ID: 06012A2100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.