Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ORBITAL SANDER GSS 280 AVE

SKU: 3165140663823

Orbital Sander GSS 280 AVE

Categories: BOSCH professional, Grinder & Planer

Product Features: Packaging dimensions (width): 340 mm
Packaging dimensions (length): 440 mm
Packaging dimensions (height): 240 mm
Packaging dimensions (width x length x height): 340 x 440 x 240 mm
Voltage, electrical: 230 V
Weight: 2,7 kg
Tool dimensions (width): 116 mm
Tool dimensions (length): 443 mm
Tool dimensions (height): 202 mm
Sanding plate, width: 114 mm
Sanding plate, length: 226 mm
Rated input power: 350 W
No-load speed, from: 8.000 rpm
No-load speed, up to: 11.000 rpm
No-load speed: 8,000 - 11,000 rpm
No-load orbital stroke rate, from: 16.000 opm
No-load orbital stroke rate, up to: 22.000 opm
No-load orbital stroke rate: 16,000 - 22,000 opm
Orbit diameter: 2,4 mm
Sanding sheet for clamping, width: 115 mm
Sanding sheet for clamping, length: 280 mm
Sanding sheet with hook-and-loop fastening, width: 115 mm
Sanding sheet with hook-and-loop fastening, length: 230 mm
Product category subdivision: Orbital Sander
Positioning: The orbital sander for high-end surface quality results in the 280-mm category

Copyright © 2023 Actik Tools All rights reserved

Long version part 1: The GSS 280 AVE Professional is Bosch's corded orbital sander for high-end surface quality results in the 280-mm category. It features a housing with a decoupled sanding unit for consistent contact pressure, ensuring best results. The built-in unique vibration damping technology produces very low vibration, enabling continuous work. Sanding sheets can be easily and perfectly fitted due to the orbital sander´s hook-and-loop pad and tension system.
Long version part 2: It is intended for sanding, in-between sanding, and frame sanding, as well as for surface finishing, and is applicable on wood, veneer, lacquer, and filler, as well as on mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System.
Long version part 3: The GSS 280 AVE Professional also includes a dust box with a built-in Bosch Micro Filter System as well as speed selection.
User benefit incl. Reason to believe: Highest-quality surface results due to its housing with a decoupled sanding unit for consistent contact pressure
User benefit incl. Reason to believe: Continuous work enabled by unique vibration damping technology that produces very low vibration
User benefit incl. Reason to believe: Hook-and-loop pad and tension system for easy and perfect sanding sheet fitting
Positioning (BE): Lowest vibration sander with perfect handling!
Long version part 1 (BE): The GSS 280 AVE Professional is Bosch's corded orbital sander for high-end surface quality results in the 280-mm category. It features a housing with a decoupled sanding unit for consistent contact pressure, ensuring best results. The built-in unique vibration damping technology produces very low vibration, enabling continuous work. Sanding sheets can be easily and perfectly fitted due to the orbital sander´s hook-and-loop pad and tension system. It is intended for sanding, in-between

Copyright © 2023 Actik Tools All rights reserved

sanding, and frame sanding, as well as for surface finishing, and is applicable on wood, veneer, lacquer, and filler, as well as on mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System.
Long version part 2 (BE): The GSS 280 AVE Professional also includes a dust box with a built-in Bosch Micro Filter System as well as speed selection.
User benefit incl. Reason to believe (BE): Vibration Control - Patented decoupled housing for smooth operation
User benefit incl. Reason to believe (BE): Paper Clamping System - Paper tensioning system for perfect paper fit
User benefit incl. Reason to believe (BE): Translucent microfilter dust box - mobile dust extraction
Areas of application: Sanding coating material
Areas of application: Sanding ferrous metals
Areas of application: Sanding wood
Areas of application: Sanding synthetic material
Areas of application: Sanding solid surface material
Areas of application: Sanding natural materials
Areas of application: Sanding non-ferrous metal
Areas of application: Grinding stone
Title: Orbital Sander GSS 280 AVE Professional
Novelty: no
Scope of supply: L-BOXX 238 (1 600 A01 2G2)
Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 80 (available separately as set of 10: 2 608 605 267)
Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 605 268)
Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 180 (available separately as set of 10: 2 608 605 269)
Scope of supply: Auxiliary handle (2 602 026 175)
SOL Date: 03.09.2012

Copyright © 2023 Actik Tools All rights reserved

Scope of delivery:
1 ST Orbital Sander GSS 280 AVE |

PRODUCT DESCRIPTION

Orbital Sander GSS 280 AVE, The GSS 280 AVE Professional is Bosch's corded orbital sander for high-end surface quality results in the 280-mm category. It features a housing with a decoupled sanding unit for consistent contact pressure, ensuring best results. The built-in unique vibration damping technology produces very low vibration, enabling continuous work. Sanding sheets can be easily and perfectly fitted due to the orbital sander´s hook-and-loop pad and tension system. It is intended for sanding, in-between sanding, and frame sanding, as well as for surface finishing, and is applicable on wood, veneer, lacquer, and filler, as well as on mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System. The GSS 280 AVE Professional also includes a dust box with a built-in Bosch Micro Filter System as well as speed selection. L-BOXX 238 (1 600 A01 2G2); 1 x sanding sheet C470, Best for Wood + Paint, 80 (available separately as set of 10: 2 608 605 267); 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 605 268); 1 x sanding sheet C470, Best for Wood + Paint, 180 (available separately as set of 10: 2 608 605 269); Auxiliary handle (2 602 026 175)

Article ID: 0601292901

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved