



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH PLUNGE SAW GKT 55 GCE

**SKU:** 3165140607759

Plunge Saw GKT 55 GCE

**Categories:** [BOSCH professional](#), [Saws](#)

**Product Features:** Tool dimensions (height):

231 mm

Packaging dimensions (width): 395 mm

Packaging dimensions (length): 445 mm

Packaging dimensions (height): 360 mm

Packaging dimensions (width x length x

height): 395 x 445 x 360 mm

Voltage, electrical: 230 V

Rated input power: 1.400 W

Saw blade bore diameter: 20 mm

No-load speed, from: 3.600 rpm

No-load speed, up to: 6.250 rpm

No-load speed: 3,600 - 6,250 rpm

Weight: 4,7 kg

Saw blade diameter: 165 mm

Baseplate (length): 310 mm

Baseplate (width): 240 mm

Baseplate: 310 x 240 mm

Bevel angle, from: -1 °

Bevel angle, to: 47 °

Bevel angle: -1 - 47 °

Tool dimensions (width): 367 mm

Tool dimensions (length): 231 mm

Cable length: 4 m

Cutting depth without guide rail (90°): 57 mm

Cutting depth without guide rail (45°): 42 mm

Vibration emission value ah [Wood sawing]:

2,5 m/s<sup>2</sup>

Uncertainty K [Wood sawing]: 1,5 m/s<sup>2</sup>

Product category subdivision: Plunge Saw

Positioning: Highest precision for clean cuts

User benefit incl. Reason to believe: High-

quality machine components, precision saw

blade, and matching guide rail system ensure



extremely precise results

User benefit incl. Reason to believe: Efficient dust extraction system and noise-reduced blade make work comfortable, especially indoors

User benefit incl. Reason to believe: Adjustable speed setting enables cuts in multitude of materials

Positioning (BE): Precision and power for a clean cut

User benefit incl. Reason to believe (BE): Clean, precise cuts due to high-quality machine components, precision saw blade and matching guide rail system

User benefit incl. Reason to believe (BE): Comfortable work, especially indoors, due to highly efficient dust extraction and noise-reduced saw blade

User benefit incl. Reason to believe (BE): Adjustable speed, powerful 1400 watt motor and Constant Electronic for cutting different materials such as wood, panel materials, aluminium and acrylic glass

Title: Plunge Saw GKT 55 GCE Professional  
Novelty: no

Scope of supply: L-BOXX 374 (1 600 A01 2G3)

Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A00 2UK)

Scope of supply: 1 x circular saw blade, Top Precision Best for Wood, 165 x 1.8/1.3 x 20 mm, 48 (2 608 642 384)

Scope of supply: Hex key

SOL Date: 01.01.2017

Scope of delivery:

1 ST Plunge Saw GKT 55 GCE |

## PRODUCT DESCRIPTION

Plunge Saw GKT 55 GCE, The GKT 55 GCE Professional corded plunge saw delivers highly precise, clean cuts in a variety of materials. Its high-quality machine components, precision saw blade, and matching guide rail system ensure extremely precise results. The saws efficient dust extraction system and noise-reduced blade make work comfortable, especially indoors. Furthermore, its adjustable speed setting enables cuts in a multitude of materials. This tool is intended for format cutting and plunge cutting in wood, wood composites, board, and panel materials as well as aluminium and acrylic glass. It is compatible with the Bosch Click & Clean dust extraction system as well as with the Bosch, Festool, Mafell,



and Makita guide rail systems. The GKT 55 GCE Professional also includes features such as constant speed, integrated dust outlet, speed selection, spindle lock, overload protection, and soft start. L-BOXX 374 (1 600 A01 2G3); 1/1 L-BOXX inlay for tool (1 600 A00 2UK); 1 x circular saw blade, Top Precision Best for Wood, 165 x 1.8/1.3 x 20 mm, 48 (2 608 642 384); Hex key

Article ID: 0601675001

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.