



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

**ROBERT BOSCH POWER TOOLS GMBH
POINTED CHISEL RTEC SPEED, SDS
MAX. FOR ROTARY HAMMER DRILLS**

SKU: 3165140533638

Pointed chisel RTec Speed, SDS max. For
rotary hammer drills

Categories: [Accessories for BOSCH](#)
[professional](#), [Chisels](#)

Product Features: Total length mm: 400
Shank, shape: SDS max
Benefit HL (short): No Work Interruption and
Less Jamming in Precision Jobs in Concrete
Performance Claim Text: Less Jamming in
Concrete
(Version) Key RTB: Self-sharpening twisted tip
provides a wider material removal footprint,
which allows for smooth work
Specific RTB3: Patented RTec element
delivers a higher material removal rate than
standard pointed chisels
Material: Concrete
Material: Concrete building block
Material: Lime and sand bricks
Material: Solid brick
Material: Brick
Material: Masonry
Product text, Accessories grey: RTec Speed
pointed chisel, self-sharpening with 30%
higher material removal rate
Product text, Accessories grey: SDS max RTec
Speed pointed chisel is ideal for precision
jobs in concrete
SOL Date: 01.01.2010
Novelty: no

Scope of delivery:
1 ST Pointed chisel RTec Speed, SDS max. For
rotary hammer drills |









PRODUCT DESCRIPTION

The SDS max RTec Speed Pointed Chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming than standard pointed chisels. The self-sharpening twisted tip provides a wider material removal footprint, which allows for smooth work. The chisel is intended for use in concrete and brick on applications such as mortising, demolition and adjustment work, in addition to restoring joints and clearing reinforcements. The patented RTec element delivers a higher material removal rate than standard pointed chisels.

Article ID: 2608690168

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.