



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH POINTED CHISEL WITH 28 MM HEX SHANK. FOR BREAKERS

SKU: 3165140425995

Pointed chisel with 28 mm hex shank. For breakers

Categories: [Accessories for BOSCH professional](#), [Chisels](#)

Product Features: Total length mm: 400
Shank, shape: Hexagon
Benefit HL (short): Constantly High Material Removal Rate and No Work Interruptions
Performance Claim Text: High Material Removal Rate
(Version) Key RTB: Fast work progress due to the self-sharpening feature
Specific RTB1: Special star shape at the working end retains the shape of the tool to prevent work interruptions
Specific RTB3: Self-sharpening feature offers a 30%-higher material removal rate compared to standard pointed chisels
Material: Concrete
Material: Concrete building block
Material: Lime and sand bricks
Material: Solid brick
Material: Brick
Material: Masonry
Product text, Accessories grey: Pointed chisel, self-sharpening
Product text, Accessories grey: Pointed chisel delivers a constantly high material removal rate
SOL Date: 07.02.2006
Novelty: no

Scope of delivery:
1 ST Pointed chisel with 28 mm hex shank.



For breakers |







PRODUCT DESCRIPTION

The Pointed Chisel delivers a constantly high material removal rate due to its self-sharpening feature. The special star shape at the working end retains the shape of the accessory to prevent work interruptions. The chisel is intended for use in concrete and brick for mortising and demolition work, including restoring joints and clearing reinforcements. The self-sharpening Pointed Chisel offers a 30% higher material removal rate compared to standard pointed chisels.

Article ID: 2608690106

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.