



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RANDOM ORBIT SANDER GET 55-125

SKU: 3165140835206

Random Orbit Sander GET 55-125

Categories: [BOSCH professional](#), [Grinder & Planer](#)



Product Features: Packaging dimensions

(width): 157 mm

Packaging dimensions (length): 408 mm

Packaging dimensions (height): 154 mm

Packaging dimensions (width x length x height): 157 x 408 x 154 mm

Voltage, electrical: 230 V

Rated input power: 550 W

Weight: 2,4 kg

Tool dimensions (width): 229 mm

Tool dimensions (length): 385 mm

Tool dimensions (height): 141 mm

Sanding pad diameter: 125 mm

No-load speed, from: 3.300 rpm

No-load speed, up to: 7.800 rpm

No-load speed: 3,300 - 7,800 rpm

Orbital stroke rate, from: 6.600 opm

Orbital stroke rate, up to: 15.600 opm

Orbital stroke rate: 6,600 - 15,600 opm

Sanding plate speed, from: 200 rpm

Sanding plate speed, up to: 480 rpm

Sanding pad speed: 200 - 480 rpm

Eccentricity: 1,75 mm

Sanding sheet / disc attachment: Hook-and-loop fastening

Orbit diameter: 3,5 mm

Vibration emission value ah [Sanding solid wood]: 6,0 m/s²

Uncertainty K [Sanding solid wood]: 1,5 m/s²

Product category subdivision: Random Orbit Sander

Positioning: 125mm turbo sander with outstanding control



User benefit incl. Reason to believe: Perfectly designed ergonomic palm rest and handle with gripping circumference of only 18 cm provide best tool control

User benefit incl. Reason to believe: Multi-hole sanding pad for sanding sheets with different hole pattern and for significantly increased dust extraction

User benefit incl. Reason to believe: Extremely powerful 550 Watt motor and direct driven pad rotation deliver up to 27% higher removal rate

Positioning (BE): Turbo sander with outstanding control in the 125 mm diameter segment

User benefit incl. Reason to believe (BE): Perfectly ergonomic front palm rest and small handle gripping circumference provide best tool control

User benefit incl. Reason to believe (BE): Multi-hole sanding pad conveniently fits all sanding sheets irrespective of the amount of holes

User benefit incl. Reason to believe (BE): Extremely powerful 550 W motor and active pad rotation deliver excellent removal rate

Areas of application: Sanding coating material

Areas of application: Sanding wood

Areas of application: Sanding synthetic material

Areas of application: Sanding solid surface material

Areas of application: Sanding natural materials

Areas of application: Grinding stone

Title: Random Orbit Sander GET 55-125

Professional

Novelty: no

Novelty until: 01.11.2019

Scope of supply: Cardboard box

Scope of supply: Sanding pad (125 mm) (2 608 601 332)

Scope of supply: 1 x sanding sheet M480, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 621 146)

Scope of supply: Guard ring for 125 mm (2 607 017 496)



Scope of supply: Auxiliary handle incl. screw
(2 607 017 500)

Scope of supply: Suction socket for 125 mm
(2 607 017 498)

Scope of supply: Hex key

SOL Date: 01.05.2019

Scope of delivery:

1 ST Random Orbit Sander GET 55-125 |

PRODUCT DESCRIPTION

Random Orbit Sander GET 55-125, The GET 55-125 Professional is Bosch's 125-mm corded active-driven random orbit sander, with outstanding tool control and handling. Designed with a perfectly ergonomic palm rest and a handle with a gripping circumference of only 18 cm, it delivers best tool control. It conveniently fits all sanding sheets irrespective of the hole pattern thanks to its multi-hole sanding pad which also increases the dust extraction significantly. It features an extremely powerful 550 W motor and direct driven pad rotation that deliver an up to 27% higher removal rate. This corded sander is intended for basic sanding, in-between sanding, lacquer removal, finishing, and polishing surfaces. It is applicable on wood, veneer, lacquer, and filler, as well as mineral and acrylic. It is compatible with the Bosch Click & Clean dust extraction system. The GET 55-125 also includes constant speed, direct-driven mode, an edge protector, a 125 mm sanding pad fitted with a hook-and-loop system for fastening sanding sheets and speed selection. Cardboard box; Sanding pad (125 mm) (2 608 601 332); 1 x sanding sheet M480, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 621 146); Guard ring for 125 mm (2 607 017 496); Auxiliary handle incl. screw (2 607 017 500); Suction socket for 125 mm (2 607 017 498); Hex key

Article ID: 0601257000

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.