Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RANDOM ORBIT SANDER GET 75-150

SKU: 3165140835084

Random Orbit Sander GET 75-150

Categories: BOSCH professional, Grinder & Planer

Product Features: Packaging dimensions (width): 360 mm
Packaging dimensions (length): 441 mm
Packaging dimensions (height): 256 mm
Packaging dimensions (width x length x height): 360 x 441 x 256 mm
Voltage, electrical: 230 V
Rated input power: 750 W
Weight: 2,6 kg
Tool dimensions (width): 243 mm
Tool dimensions (length): 417 mm
Tool dimensions (height): 141 mm
Sanding pad diameter: 150 mm
No-load speed, from: 3.300 rpm
No-load speed, up to: 7.300 rpm
No-load speed: 3,300 - 7,300 rpm
Orbital stroke rate, from: 6.600 opm
Orbital stroke rate, up to: 14.600 opm
Orbital stroke rate: 6,600 - 14,600 opm
Sanding plate speed, from: 290 rpm
Sanding plate speed, up to: 640 rpm
Sanding pad speed: 290 - 640 rpm
Eccentricity: 2,25 mm
Sanding sheet / disc attachment: Hook-and-loop fastening
Orbit diameter: 4,5 mm
Vibration emission value ah [Sanding solid wood]: 6,5 m/s²
Uncertainty K [Sanding solid wood]: 1,5 m/s²
Product category subdivision: Random Orbit Sander
Positioning: 150mm turbo sander with outstanding control

Copyright © 2023 Actik Tools All rights reserved

User benefit incl. Reason to believe: Perfectly designed ergonomic palm rest and handle with gripping circumference of only 18 cm provide best tool control
User benefit incl. Reason to believe: Multi-hole sanding pad for sanding sheets with different hole pattern and for significantly increased dust extraction
User benefit incl. Reason to believe: Extremely powerful 750 Watt motor and direct driven pad rotation deliver up to 45% higher removal rate
Positioning (BE): Turbo sander with outstanding control in the 150-mm category
User benefit incl. Reason to believe (BE): Perfectly ergonomic front palm rest and small handle gripping circumference provide best tool control
User benefit incl. Reason to believe (BE): Multi-hole sanding pad conveniently fits all sanding sheets irrespective of the amount of holes
User benefit incl. Reason to believe (BE): Extremely powerful 750 W motor and active pad rotation deliver excellent removal rate
Areas of application: Sanding coating material
Areas of application: Sanding wood
Areas of application: Sanding synthetic material
Areas of application: Sanding solid surface material
Areas of application: Sanding natural materials
Areas of application: Grinding stone
Title: Random Orbit Sander GET 75-150 Professional
Novelty: no
Novelty until: 01.11.2019
Scope of supply: L-BOXX 238 (1 600 A01 2G2)
Scope of supply: Sanding pad (150 mm) (2 608 601 335)
Scope of supply: 1 x sanding sheet M480, Best for Wood + Paint, 80 (available separately as set of 5: 2 608 621 162)
Scope of supply: 1 x sanding sheet M480, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 621 164)

Copyright © 2023 Actik Tools All rights reserved

Scope of supply: 1 x sanding sheet M480, Best for Wood + Paint, 180 (available separately as set of 5: 2 608 621 166)
Scope of supply: Guard ring for 150 mm (2 607 017 497)
Scope of supply: Auxiliary handle incl. screw (2 607 017 500)
Scope of supply: Suction socket for 150 mm (2 607 017 499)
Scope of supply: Hex key
SOL Date: 01.05.2019

Scope of delivery:
1 ST Random Orbit Sander GET 75-150 |

PRODUCT DESCRIPTION

Random Orbit Sander GET 75-150, The GET 75-150 Professional is Boschs 150-mm corded active-driven random orbit sander with outstanding tool control and handling. It is designed with a perfectly ergonomic palm rest and a handle with a gripping circumference of only 18 cm for best tool control. Thanks to its multi-hole sanding pad, all sanding sheets irrespective of the hole pattern can be conveniently fitted and the dust extraction is significantly increased. It features an extremely powerful 750 W motor and direct driven pad rotation that deliver a up to 45% higher removal rate. This corded sander is intended for basic sanding, in-between sanding, lacquer removal, finishing, and polishing surfaces. It is applicable on wood, veneer, lacquer, and filler, as well as mineral and acrylic. It is compatible with the Bosch Click & Clean dust extraction system. The GET 75-150 also includes constant speed, direct-driven mode, an edge protector, a 150 mm sanding pad fitted with a hook-and-loop system for fastening sanding sheets and speed selection. L-BOXX 238 (1 600 A01 2G2); Sanding pad (150 mm) (2 608 601 335); 1 x sanding sheet M480, Best for Wood + Paint, 80 (available separately as set of 5: 2 608 621 162); 1 x sanding sheet M480, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 621 164); 1 x sanding sheet M480, Best for Wood + Paint, 180 (available separately as set of 5: 2 608 621 166); Guard ring for 150 mm (2 607 017 497); Auxiliary handle incl. screw (2 607 017 500); Suction socket for 150 mm (2 607 017 499); Hex key

Article ID: 0601257101

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved