Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.




# ROBERT BOSCH POWER TOOLS GMBH RANDOM ORBIT SANDER GEX 125-1 AE

**SKU:** 3165140875158

Random Orbit Sander GEX 125-1 AE

---

**Categories:** BOSCH professional, Grinder & Planer

**Product Features:** Packaging dimensions (width): 301 mm
Packaging dimensions (length): 349 mm
Packaging dimensions (height): 166 mm
Packaging dimensions (width x length x height): 301 x 349 x 166 mm
Voltage, electrical: 230 V
Rated input power: 250 W
Weight: 1,3 kg
Tool dimensions (width): 122 mm
Tool dimensions (length): 227 mm
Tool dimensions (height): 150 mm
Sanding pad diameter: 125 mm
No-load speed, from: 7.500 rpm
No-load speed, up to: 12.000 rpm
No-load speed: 7,500 - 12,000 rpm
Orbital stroke rate, from: 15.000 opm
Orbital stroke rate, up to: 24.000 opm
Orbital stroke rate: 15,000 - 24,000 opm
Eccentricity: 1,25 mm
Sanding sheet / disc attachment: Hook-and-loop fastening
Orbit diameter: 2,5 mm
Vibration emission value ah [Sanding solid wood]: 5,0 m/s²
Uncertainty K [Sanding solid wood]: 1,5 m/s²
Product category subdivision: Random Orbit Sander
Positioning: Entry-class 125mm random orbit sander for small areas and spot repair work
User benefit incl. Reason to believe: Compact and ergonomic design with variable grip positions offers outstanding comfort even

Copyright © 2023 Actik Tools All rights reserved

when working overhead
User benefit incl. Reason to believe: Speed preselection option enables use in multi-material applications
User benefit incl. Reason to believe: Dust box with built-in Bosch Micro Filter System for practically dust-free work
Positioning (BE): Comfortable sanding in any work position
User benefit incl. Reason to believe (BE): Compact, ergonomic design with large soft grip surfaces for variable grip positions and outstanding comfort
User benefit incl. Reason to believe (BE): Bosch Microfilter System: perfect, efficient dust extraction
User benefit incl. Reason to believe (BE): Speed preselection for material-specific working
Areas of application: Sanding coating material
Areas of application: Sanding ferrous metals
Areas of application: Sanding wood
Areas of application: Sanding synthetic material
Areas of application: Sanding solid surface material
Areas of application: Sanding natural materials
Areas of application: Sanding non-ferrous metal
Areas of application: Grinding stone
Title: Random Orbit Sander GEX 125-1 AE Professional
Novelty: no
Scope of supply: Carrying case
Scope of supply: Microfilter box
Scope of supply: 3 x sanding sheet C470, Best for Wood + Paint, 80 (available separately as set of 5: 2 608 605 069)
SOL Date: 01.07.2016

Scope of delivery:
1 ST Random Orbit Sander GEX 125-1 AE |

Copyright © 2023 Actik Tools All rights reserved

## PRODUCT DESCRIPTION

Random Orbit Sander GEX 125-1 AE, The GEX 125-1 AE Professional is Bosch's corded entry-class random orbit sander in the 125-mm category, designed for small areas and spot repair work. Its compact and ergonomic design with variable grip positions offers outstanding comfort even when working overhead. Multi-material applications are enabled by its speed preselection. Its dust box is fitted with a built-in Bosch Micro Filter System, providing an efficient dust-extraction system for practically dust-free work. This random orbit sander is intended for sanding, in-between sanding, lacquer removal and for surface finishing on various materials. It is applicable on wood, veneer, lacquer, filler, as well as mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System. The GEX 125-1 AE Professional also includes a 125-mm sanding pad fitted with a hook-and-loop system for fastening sanding paper. Carrying case; Microfilter box; 3 x sanding sheet C470, Best for Wood + Paint, 80 (available separately as set of 5: 2 608 605 069)

Article ID: 0601387504

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved