Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RANDOM ORBIT SANDER GEX 34-150

SKU: 4059952528922

Random Orbit Sander GEX 34-150

Categories: BOSCH professional, Grinder & Planer

Product Features: Packaging dimensions (width): 158 mm
Packaging dimensions (length): 350 mm
Packaging dimensions (height): 210 mm
Packaging dimensions (width x length x height): 158 x 350 x 210 mm
Voltage, electrical: 230 V
Rated input power: 340 W
Weight: 2,1 kg
Tool dimensions (width): 150 mm
Tool dimensions (length): 315 mm
Tool dimensions (height): 190 mm
Sanding pad diameter: 150 mm
No-load speed, from: 4.500 rpm
No-load speed, up to: 12.000 rpm
No-load speed: 4,500 - 12,000 rpm
Orbital stroke rate, from: 9.000 opm
Orbital stroke rate, up to: 24.000 opm
Orbital stroke rate: 9,000 - 24,000 opm
Eccentricity: 2,00 mm
Orbit diameter: 4,0 mm
Vibration emission value ah [Sanding solid wood]: 5,0 m/s²
Uncertainty K [Sanding solid wood]: 1,5 m/s²
Product category subdivision: Random Orbit Sander
Positioning: Robust 150mm random orbit sander with high removal rate
User benefit incl. Reason to believe: Constant speed and high removal rate for efficient results even on demanding surfaces
User benefit incl. Reason to believe: Aluminium bearing flange ensures a long tool

Copyright © 2023 Actik Tools All rights reserved

lifetime and makes it ideal for use on tough applications
User benefit incl. Reason to believe: Multi-hole sanding pad for sanding sheets with different hole pattern and for significantly increased dust extraction
Positioning (BE): Robust random orbit sander with high removal rate in the 150-mm category
User benefit incl. Reason to believe (BE): Constant speed and high removal rate for efficient results even on demanding surfaces
User benefit incl. Reason to believe (BE): Aluminium bearing flange ensures a long tool lifetime and makes it ideal for use on tough applications
User benefit incl. Reason to believe (BE): Speed preselection option enables use in multi-material applications
Title: Random Orbit Sander GEX 34-150 Professional
Novelty: no
Novelty until: 01.12.2020
Scope of supply: Cardboard box
Scope of supply: 1 x sanding sheet multi-hole C470, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 608 X85)
Scope of supply: Sanding pad (150 mm) (2 608 601 335)
Scope of supply: 1 x paper dust bag (available separately as set of 3: 2 605 411 067)
Scope of supply: 1 x dust adapter (2 600 306 007)
SOL Date: 01.09.2020

Scope of delivery:
1 ST Random Orbit Sander GEX 34-150 |

PRODUCT DESCRIPTION

Random Orbit Sander GEX 34-150, The GEX 34-150 Professional is Bosch's robust corded random orbit sander with a high removal rate in the 150-mm category. Constant speed and a high removal rate deliver efficient results even on demanding surfaces. An aluminium bearing flange ensures a long tool lifetime and makes it perfect for tough applications. For using sanding sheets with different hole pattern, the GEX 34-150 is equipped with a multi-hole sanding pad that also leads to a significantly increased dust extraction. This random orbit sander is intended for sanding, in-between sanding, lacquer removal, and

Copyright © 2023 Actik Tools All rights reserved

surface finishing on wood, veneer, lacquer, and filler, as well as mineral and acrylic surfaces. It is compatible with the Bosch Click & Clean System. The GEX 34-150 Professional also features a dust box fitted with a built-in Bosch Micro Filter System, a 150 mm sanding pad fitted with a hook-and-loop system for fastening sanding sheets and speed selection. Cardboard box; 1 x sanding sheet multi-hole C470, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 608 X85); Sanding pad (150 mm) (2 608 601 335); 1 x paper dust bag (available separately as set of 3: 2 605 411 067); 1 x dust adapter (2 600 306 007)

Article ID: 0601372800

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved