




Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH RANDOM ORBIT SANDER GEX 40-150

SKU: 4059952528779

Random Orbit Sander GEX 40-150



Categories: [BOSCH professional](#), [Grinder & Planer](#)

### Product Features:

Packaging dimensions (width): 234 mm

Packaging dimensions (length): 362 mm

Packaging dimensions (height): 174 mm

Packaging dimensions (width x length x height): 234 x 362 x 174 mm

Voltage, electrical: 230 V

Rated input power: 400 W

Weight: 2,4 kg

Tool dimensions (width): 148 mm

Tool dimensions (length): 409 mm

Tool dimensions (height): 197 mm

Sanding pad diameter: 150 mm

No-load speed, from: 5.500 rpm

No-load speed, up to: 12.000 rpm

No-load speed: 5,500 - 12,000 rpm

Orbital stroke rate, from: 11.000 opm

Orbital stroke rate, up to: 24.000 opm

Orbital stroke rate: 11,000 - 24,000 opm

Eccentricity: 2,00 mm

Sanding sheet / disc attachment: Hook-and-loop fastening

Orbit diameter: 4,0 mm

Vibration emission value ah [Sanding solid wood]: 2,5 m/s<sup>2</sup>

Uncertainty K [Sanding solid wood]: 1,5 m/s<sup>2</sup>

Product category subdivision: Random Orbit Sander

Positioning: The high-performance 150mm random orbit sander for professional finishes  
User benefit incl. Reason to believe: Housing with a decoupled sanding unit for consistent contact pressure, enabling high-quality



surface results

User benefit incl. Reason to believe: Unique vibration damping produces very low vibrations for continuous work

User benefit incl. Reason to believe: Multi-hole sanding pad for sanding sheets with different hole pattern and for significantly increased dust extraction

Positioning (BE): The high-performance corded random orbit sander for professional finishes in the 150-mm category

User benefit incl. Reason to believe (BE):

Speed: Best in class material removal rate

User benefit incl. Reason to believe (BE):

Comfort and Safety: Lowest in class vibration

User benefit incl. Reason to believe (BE):

Flexibility: The Ability to use any brand of sandpaper while maintaining optimum dust collection

Title: Random Orbit Sander GEX 40-150

Professional

Novelty: no

Novelty until: 01.12.2020

Scope of supply: Cardboard box

Scope of supply: 1 x sanding sheet multi-hole C470, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 608 X85)

Scope of supply: Sanding pad (150 mm) (2 608 601 335)

Scope of supply: Microfilter box (2 605 411 233)

Scope of supply: Auxiliary handle (2 602 026 177)

Scope of supply: Hex key

SOL Date: 01.04.2020

Scope of delivery:

1 ST Random Orbit Sander GEX 40-150 |

## PRODUCT DESCRIPTION

Random Orbit Sander GEX 40-150, The GEX 40-150 Professional is Bosch's corded random orbit sander designed for high performance with professional finishes in the 150-mm category. It features a housing with a decoupled sanding unit for consistent contact pressure, providing the highest-quality surface results. Its unique vibration damping produces very low vibrations, allowing for continuous work. The GEX 40-150 is equipped with a multi-hole sanding pad for sanding sheets with different hole pattern and



for significantly increased dust extraction. This random orbit sander is intended for sanding, in-between sanding, lacquer removal, finishing surfaces, and polishing. It is applicable on wood, veneer, lacquer, and filler, as well as mineral and acrylic. It is compatible with the Bosch Click & Clean System. The GEX 40-150 also includes a dust box with a built-in Bosch Micro Filter System, a 150 mm sanding pad fitted with a hook-and-loop system for fastening sanding sheets, speed selection and Vibration Control. Cardboard box; 1 x sanding sheet multi-hole C470, Best for Wood + Paint, 120 (available separately as set of 5: 2 608 608 X85); Sanding pad (150 mm) (2 608 601 335); Microfilter box (2 605 411 233); Auxiliary handle (2 602 026 177); Hex key

Article ID: 060137B202

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.