



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 1127 BEF. FOR RECIPROCATING SAWS

**SKU:** 3165140507165

Reciprocating saw blade S 1127 BEF. For reciprocating saws



**Categories:** [Accessories for BOSCH professional](#), [Saws](#)

**Product Features:** Sheet metals, thick, from [mm]: 3

Sheet metals, thick, to [mm]: 8

Sheet metals, thick [mm]: 3-8

Pipes/profiles, thin-walled: open+closed [mm]: <175

Profiles, pipes: closed [mm]: <175

Profiles, pipes: open [mm]: <175

Tooth design: Micro Edge Geometry

Tooth spacing [mm]: 1.4+1.8

Tooth pitch [TPI]: 14+18

Total length [mm]: 225

Total length [Inch]: 9

Width [mm]: 25

Thickness [mm]: 1,1

Blade material: BI-METAL

Blade material abbreviation: BIM

Body material: HCS

Recommended min. material thickness [mm]: 2

Recommended max. material thickness [mm]: 6

Max. cut capacity [mm]: 175

Areas of application: Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

Progressive: no

Type: S 1127 BEF

Benefit HL (short): Precise and Smooth Cuts in Thin-Wall Metal Pipes and Profiles



Performance Claim Text: Precise and Smooth Cuts

(Version) Key RTB: Wide 25 mm body enables accurate straight cutting

Specific RTB1: Patented full-contact design with concave-shaped cutting edge increases lifetime and speed

Specific RTB2: Effortless work thanks to patented 2x2 fine tooth pitch geometry. BIM blade is designed for cutting steel materials

Specific RTB3: Tooth pitch (1.4+1.8 mm) for cutting thin-wall steel pipes and profiles.

Standard length for a 175 mm cutting capacity

Material: Steel

Material: Stainless steel

Material: Cast iron

Material: Tough steel

Material: Metal pipes and profiles

Product text, Accessories grey: **S 1127 BEF**

Product text, Accessories grey: BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design

Product text, Accessories grey: Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

SOL Date: 01.01.2016

Novelty: no

Scope of delivery:

5 ST Reciprocating saw blade S 1127 BEF. For reciprocating saws |

## PRODUCT DESCRIPTION

The S 1127 BEF Endurance for Heavy Metal Reciprocating Saw Blade delivers precise and smooth straight cuts in metal. Its wide 25 mm body enables accurate straight cutting, while its patented full-contact design with a concave-shaped cutting edge increases the blades lifetime and speed. Moreover, work is effortless thanks to its patented 2x2 fine tooth pitch geometry. The BIM (bi-metal) blade is designed for cutting steel materials. Featuring a tooth pitch of 1.4+1.8 mm, this reciprocating saw blade can be used for cutting thin-wall steel pipes and profiles with a wall thickness of 3 mm to 8 mm. It is equipped with a standard length of 225 mm, providing a cutting capacity of up to 175 mm.

Article ID: 2608657524



#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.