



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 123 XF. FOR RECIPROCATING SAWS

SKU: 3165140169554

Reciprocating saw blade S 123 XF. For reciprocating saws

Categories: [Accessories for BOSCH professional](#), [Saws](#)

Product Features: Sheet metals, thick, from [mm]: 1
Sheet metals, thick, to [mm]: 8
Sheet metals, thick [mm]: 1-8
Profiles, pipes: closed [mm]: <100
Profiles, pipes: open [mm]: <100
Profiles, pipes: solid [mm]: <100
Tooth design: side set, milled
Tooth spacing [mm]: 1.4-3.4
Tooth pitch [TPI]: 8-18
Total length [mm]: 150
Total length [Inch]: 6
Width [mm]: 19
Thickness [mm]: 0,9
Blade material: BI-METAL
Blade material abbreviation: BIM
Body material: HCS
Recommended min. material thickness [mm]: 1
Recommended max. material thickness [mm]: 8
Max. cut capacity [mm]: 100
Areas of application: thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)
Progressive: yes
Type: S 123 XF
Benefit HL (short): Fast Cuts in Thick and Thin Materials
Performance Claim Text: Fast Cuts
(Version) Key RTB: Progressively increasing



tooth pitch enables rapid cuts in materials
with a wide range of densities

Specific RTB1: BIM blade engineered for
cutting regular-strength steel pipes and
profiles

Specific RTB2: Special tooth design for cutting
steel materials (1-8 mm). Standard blade
length for a 100 mm cutting capacity

Material: Steel

Material: Non-ferrous metals

Product text, Accessories grey: **S 123 XF**

Product text, Accessories grey: BIM, side set,
milled

Product text, Accessories grey: Thin to thick
sheet metals (1-8 mm), thin to thick profiles
(diameter <100 mm)

SOL Date: 19.07.2002

Novelty: no

Scope of delivery:

5 ST Reciprocating saw blade S 123 XF. For
reciprocating saws |







PRODUCT DESCRIPTION

The S 123 XF Progressor for Metal Reciprocating Saw Blade delivers fast straight cuts in thick and thin metal materials. Its progressively increasing tooth pitch enables rapid cuts in materials with a wide range of densities. Moreover, the BIM (bi-metal) blade is engineered for cutting regular-strength steel pipes and profiles. It features a special tooth design for cutting steel materials with a variety of wall thicknesses from 1 mm to 8 mm. The blade has a standard length of 150 mm that enables a cutting capacity of up to 100 mm.

Article ID: 2608654401

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.