



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 3456 XF. FOR RECIPROCATING SAWS

**SKU:** 3165140695411

Reciprocating saw blade S 3456 XF. For reciprocating saws



**Categories:** [Accessories for BOSCH professional](#), [Saws](#)

**Product Features:** Wood with nails/metal [mm]: <150

Wooden boards, chipboard [mm]: <150

Sheet metal, pipes, profiles, from [mm]: 3

Sheet metal, pipes, profiles, to [mm]: 18

Sheet metals, pipes, profiles [mm]: 3-18

Plastics: pipes, profiles [mm]: <150

Glass fibre reinforced plastic/epoxy [mm]: <150

Tooth design: side set, milled

Tooth spacing [mm]: 2.2-4.6

Tooth pitch [TPI]: 6-12

Total length [mm]: 200

Total length [Inch]: 8

Width [mm]: 19

Thickness [mm]: 1,25

Blade material: BI-METAL

Blade material abbreviation: BIM

Body material: HCS

Max. cut capacity [mm]: 150

Areas of application: Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)

Progressive: yes

Type: S 3456 XF

Benefit HL (short): Fast Cuts in Thick and Thin Materials

Performance Claim Text: Powerful and Fast Cuts

(Version) Key RTB: Progressively increasing



tooth pitch enables strong, rapid cuts in materials with a wide range of densities  
Specific RTB1: Teeth are specially designed for cutting a variety of wood and metal, including aluminium  
Specific RTB2: Medium-thick gauge material (1.25 mm) provides the best balance of speed, flexibility and stability when cutting  
Specific RTB3: BIM blade optimised for soft nails and non-ferrous metal components. Standard length enables a 150 mm cutting capacity  
Material: Wood with nails  
Material: Non-ferrous metals  
Material: Plastics  
Material: Construction wood  
Product text, Accessories grey: **S 3456 XF**  
Product text, Accessories grey: BIM, side set, milled  
Product text, Accessories grey: Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)  
SOL Date: 10.02.2012  
Novelty: no

Scope of delivery:  
1 ST Reciprocating saw blade S 3456 XF. For reciprocating saws |

## PRODUCT DESCRIPTION

The S 3456 XF Progressor for Wood and Metal Reciprocating Saw Blade delivers powerful and fast cuts in thick and thin materials. Its progressively increasing tooth pitch enables strong, rapid cuts in materials with a wide range of densities, while its teeth are specially designed for cutting a variety of wood and metal, including aluminium. Moreover, its medium-thick gauge material (1.25 mm) provides the best balance of speed, flexibility and stability when cutting. Made from BIM (bi-metal), this reciprocating saw blade is furthermore optimised to cut soft nails, mild steel and non-ferrous metal components embedded in wood. It has a standard length of 200 mm for a cutting capacity of up to 150 mm.

Article ID: 2608657938

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information



about the product can be found on our website.