Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH RECIPROCATING SAW BLADE S 3456 XF. FOR RECIPROCATING SAWS

SKU: 3165140695411

Reciprocating saw blade S 3456 XF. For reciprocating saws

Categories: Accessories for BOSCH professional, Saws

Product Features: Wood with nails/metal [mm]: <150
Wooden boards, chipboard [mm]: <150
Sheet metal, pipes, profiles, from [mm]: 3
Sheet metal, pipes, profiles, to [mm]: 18
Sheet metals, pipes, profiles [mm]: 3-18
Plastics: pipes, profiles [mm]: <150
Glass fibre reinforced plastic/epoxy [mm]: <150
Tooth design: side set, milled
Tooth spacing [mm]: 2.2-4.6
Tooth pitch [TPI]: 6-12
Total length [mm]: 200
Total length [Inch]: 8
Width [mm]: 19
Thickness [mm]: 1,25
Blade material: BI-METAL
Blade material abbreviation: BIM
Body material: HCS
Max. cut capacity [mm]: 150
Areas of application: Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)
Progressive: yes
Type: S 3456 XF
Benefit HL (short): Fast Cuts in Thick and Thin Materials
Performance Claim Text: Powerful and Fast Cuts
(Version) Key RTB: Progressively increasing

Copyright © 2023 Actik Tools All rights reserved

tooth pitch enables strong, rapid cuts in materials with a wide range of densities
Specific RTB1: Teeth are specially designed for cutting a variety of wood and metal, including aluminium
Specific RTB2: Medium-thick gauge material (1.25 mm) provides the best balance of speed, flexibility and stability when cutting
Specific RTB3: BIM blade optimised for soft nails and non-ferrous metal components. Standard length enables a 150 mm cutting capacity
Material: Wood with nails
Material: Non-ferrous metals
Material: Plastics
Material: Construction wood
Product text, Accessories grey: **S 3456 XF**
Product text, Accessories grey: BIM, side set, milled
Product text, Accessories grey: Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)
SOL Date: 10.02.2012
Novelty: no

Scope of delivery:
1 ST Reciprocating saw blade S 3456 XF. For reciprocating saws |

PRODUCT DESCRIPTION

The S 3456 XF Progressor for Wood and Metal Reciprocating Saw Blade delivers powerful and fast cuts in thick and thin materials. Its progressively increasing tooth pitch enables strong, rapid cuts in materials with a wide range of densities, while its teeth are specially designed for cutting a variety of wood and metal, including aluminium. Moreover, its medium-thick gauge material (1.25 mm) provides the best balance of speed, flexibility and stability when cutting. Made from BIM (bi-metal), this reciprocating saw blade is furthermore optimised to cut soft nails, mild steel and non-ferrous metal components embedded in wood. It has a standard length of 200 mm for a cutting capacity of up to 150 mm.

Article ID: 2608657938

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information

Copyright © 2023 Actik Tools All rights reserved

about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved